

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1d0-437.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Consider the following program code:

```
$x = 5;  
$y = 10;  
while (++$x  
{  
print ($x $y );  
}  
print ($x $y );
```

What is the result of executing this program code?

- A. The code will output the following: 6 11 7 12 8 13 9 14 10 15
- B. The code will output the following: 6 11 7 12 8 13 9 14 10 14
- C. The code will output the following: 5 10 6 11 7 12 8 13 9 13
- D. The code will output the following: 5 10 6 11 7 12 8 13 9 14

Correct Answer: B

QUESTION 2

Consider the following program code:

```
@stack = (10, 10..25);  
push(@stack, yellow);  
shift(@stack);  
push(@stack, white);  
print shift(@stack);
```

What is the result of executing this program code?

- A. The code will fail at line 3 because shift requires two arguments.
- B. The code will output the following: 11
- C. The code will output the following: 10
- D. The code will output the following: white

Correct Answer: C

QUESTION 3

The filehandle INPUT is associated with the file represented by \$file. Which statement will close the filehandle INPUT?

- A. close (INPUT, \$file);
- B. closeINPUT;
- C. INPUT(close, \$file);
- D. close(INPUT);

Correct Answer: D

QUESTION 4

Which one of the following choices is a unary operator that can apply to only a single variable?

- A. ++
- B. **
- C. /
- D. ?

Correct Answer: A

QUESTION 5

Consider the following statement:

```
$buffer = a string;
```

Also consider that a file named test.txt contains the following line of text: One line of test text. What is the

output of the following lines of code? \$file = "test.txt";

```
open (OUT, "
```