

# 2V0-622D<sup>Q&As</sup>

VMware Certified Professional 6.5 – Data Center Virtualization Delta Exam

# Pass VMware 2V0-622D Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/2v0-622d.html

# 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





## **QUESTION 1**

Which is required by vCenter Converter Standalone to convert a physical Red Hat Enterprise Linux 7 machine to a virtual machine?

- A. The Linux machine must be powered off.
- B. The Linux machine must have the SSH daemon started.
- C. The Linux machine must use a static IP address.
- D. The Linux machine must have a fully-qualified domain name.
- Correct Answer: B

Ports used when converting a powered on machine running Linux Table contains a list of the ports that must be open during the conversion of powered on source machines running Linux.

<b>Communication Path</b>	TCP Ports	Notes
Converter Standalone server to powered on source machine	22	Used to establish an SSH connection between the Converter Standalone server and the source machine.
Converter Standalone client to Converter Standalone server	443	Required only if the Converter Standalone server and client components are on different machines.
Converter Standalone server to vCenter server	443	Required only if the conversion destination is a vCenter Server.
Converter Standalone server to ESX/ESXi	443, 902	If the conversion destination is a vCenter Server, only port 902 is required.
Converter Standalone server to helper virtual machine	443	
Helper virtual machine to powered on source machine	22	Used to establish an SSH connection between the helper virtual machine and the source machine. By default, the IP address of the helper virtual machine is assigned by DHCP. If no DHCP server is available on the destination network, you must manually assign the helper virtual machine an IP address.

# Ports required during Linux P2V

# **QUESTION 2**

Which do Protocol Endpoints refer to?

A. a VASA provider

- B. a pool of raw storage capacity that spans different physical arrays
- C. a Virtual Volumes datastore



D. a logical I/O proxy of the physical storage fabric

Correct Answer: D

## **QUESTION 3**

A domain user is able to successfully log into the vSphere Web Client, but notices that the vCenter Server system does not appear in the inventory.

Which is the cause of this situation?

- A. The Service Control Agent service is not running.
- B. The vCenter Server does not have any hosts added to inventory yet.
- C. The domain user has read-only permissions on vCenter Server.
- D. The domain user does not have vCenter Server permissions.

#### Correct Answer: D

The vCenter Server system will not appear in the inventory if you do not have permissions on it. For example, if you log in as the vCenter Single Sign On administrator user, you might not have permissions on any vCenter Server system.

### **QUESTION 4**

Which is the maximum number of block devices (LUNs) that are supported by ESXi hosts that are running version 6.5?

A. 1024

B. 512

C. 2048

D. 256

Correct Answer: B

#### **QUESTION 5**

What two enhancements are in VMFS6 but not in VMFS5? (Choose two.)

- A. Support for 4k native disks
- B. Support for 512e disks
- C. GPT storage device partitioning
- D. Automatic space reclamation

Correct Answer: BD



http://virtualization24x7.blogspot.com/2018/01/vmfs5-vs- vmfs6.html? utm\_source=feedburnerandutm\_medium=feedandutm\_campaign=Feed%3A+Virtua lization24x7+% 28Virtualization24x7%29

Latest 2V0-622D Dumps

2V0-622D VCE Dumps

2V0-622D Exam Questions