

400-051^{Q&As}

CCIE Collaboration Written

Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/400-051.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
14:15:26.964 | AppInfo | [CTI-AFP] [CTIHandler::processIncomingMessage]
CTX ProviderOpenRequest ( seq0=1 provider=UCProvider login=mcisco
heartbeat=60 timer=10 priority=0 lightWeightProviderOpen=0 AuthType=0
RequestOldFatch=0)
|14:15:27.181 |AppInfo |Authenticating with SSL not enabled
(ldap://172.25.140.200.389)
|14:15:27:187 | AppInfo | LDAP authentication bind SUCCES
dcadmin@cisco.com
|14:15:27:187 | AppInfo | Connection # (0): successfu
|14:15:27:187 | AppInfo | Details ::
|14:15:27:191 |AppInfo |Retrieve the specified user entry:
&bnsp:(&(&(objectclass-user)(&(telephoneNumber"*)))(sAMAccountName-mcisco))
|14:15:27:191 |AppInio |LDAP search for Userbase: 'dc=cisco, dc=com'
|14:15:36:959 | AppInfo | CTIManager
                                    :CtiManager::ready_SdlCloseInd():
Connection closed indication in thing down provider. -- Connection Id=10
TcpHandler=[1:200:13:778]Peer1PAddr=192.168.218.10 PeerPort=50418 Username=mcisco
CtiHandler=[1:200:22:742]
|14:21:45:217 |AppInfo | DAP Search complete. Code: 0
|14:21:45:217 | AppInto | Cet DN of entry.
|14:21:45:217 |Applico |Get DN: CN=Cisco Mills,OU=Users,
OU=Information Technology, OU=Kingdom, DC=cisco, DC=com
|14:21:45:240|AppInfo|LDAP authentication bind SUCCESSfor CN=Cisco
Mills.OU=Users.OU=Information Technology.OU=Kingdom.DC=cisco.DC=com
|14:21:45:240 |AppInfo |Connection # (O): successful
```

A jabber user reports that desktop mode does not work. Connection status shows the following message: "Connection error. Ensure the server information in the phone services tab on the option window is correct. Contact your system administrator for assistance."

Which two actions will resolve the problem? (Choose two)

- A. Change LDAP port from 389 to 636 in LDAP directory configuration.
- B. Restart DirSync service under unified serviceability.
- C. Change LDAP port from 389 to 443 in LDAP director configuration.
- D. Change LDAP port from 389 to 3268 in LDAP director configuration.
- E. Restart CTI manager service under unified serviceability.
- F. Restart TFTP service under Unified serviceability

Correct Answer: DE

QUESTION 2

Refer to the exhibit.



Which option describes the security encryption status of this active call on a Cisco IP phone?


- A. unencrypted call signaling and media
- B. encrypted call signaling but unencrypted call media
- C. encrypted call media but unencrypted call signaling
- D. encrypted call signaling and media
- E. Not enough information provided to answer this question.

Correct Answer: D

QUESTION 3



Firewall -----



Refer to the exhibit. In a Single Split CMS deployment, which CMS server components do WebRTC clients and external CMA clients attempt to contact for initial CMS connections?

- A. Both WebRTC clients and external CMA clients try to connect to the Load Balancer first
- B. WebRTC clients first try to connect to the Webbridge while external CMA clients attempt to connect to the Load Balancer
- C. WebRTC clients first try to connect to the Load Balancer while external CMA clients try to reach the TURN Server
- D. Both WebRTC clients and external CMA clients try to connect to the Webbridge first



https://www.pass4lead.com/400-051.html

2022 Latest pass4lead 400-051 PDF and VCE dumps Download

E. WebRTC clients first try to connect to the Load Balancer while external CMA clients try to reach the Webbridge

Correct Answer: A

QUESTION 4

The Director of Information Security of your company wants to log all calls when a user\\'s phone goes off-hook and immediately back to on-hook in Call Detail Records.

Which option is the minimum Cisco Unified CM Service Parameter configuration that is needed to ensure compliance to this policy?

- A. Set CDR Enabled Flag to True and set Call Diagnostics Enabled to Enable Only When CDR Enabled Flag is True.
- B. Set CDR Enabled Flag to True and set Call Diagnostics Enabled to Enable Regardless of CDR Enabled Flag.
- C. Set CDR Log Calls with Zero Duration Flag to True.
- D. Set CDR Enabled Flag to True.
- E. Set CDR Enabled Flag and CDR Log Calls with Zero Duration Flag to True.

Correct Answer: D

QUESTION 5

What does a Cisco Expressway-E do when it receives a SIP REGISTER message from a Jabber client for MRA phone service registration?

A. It performs a DNS lookup for the Expressway-C and establishes a new TCP connection to it before forwarding the REGISTER message to the Expressway-C

- B. It sends a 200 OK for the REGISTER back to the Jabber client if this client has previously been provisioned through the Expressway E and C pair
- C. It sends a timestamped SERVICE message to the Expressway-C before forwarding the REGISTER message to the Expressway-C
- D. It forwards the REGISTER message to the Expressway-C which then forwards it to the UCM for phone service registration

Correct Answer: B

400-051 VCE Dumps

400-051 Practice Test

400-051 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.