

400-351^{Q&As}

CCIE Wireless Written

Pass Cisco 400-351 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/400-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/400-351.html 2022 Latest pass4lead 400-351 PDF and VCE dumps Download

QUESTION 1

Which action is needed to edit the settings of an RF profile?

- A. Disable both radio networks
- B. Disable custom power level settings for all APs within the group to which the profile is linked.
- C. Remove the desired RF profile from all AP groups
- D. RF profiles cannot be edited. They must be removed and recreated with the desired values.

Correct Answer: C

http://www.cisco.com/c/en/us/td/docs/wireless/controller/8-0/configuration-guide/b_cg80/b_cg80_chapter_01011101.html

QUESTION 2

Which three common network endpoints options are used in multicloud networking? (Choose three.)

- A. Open Source VPN Platform
- B. Native IPsec VPN Services
- C. SSL Connections
- D. GRE Tunnels
- E. Colocation Peering
- F. Next Generation Firewall Services

Correct Answer: ABE

QUESTION 3

You are troubleshooting a wireless mesh API join issue. Which feature helps to prevent a mesh AP from being stranded after going through a timer reboot?

- A. universal access
- B. passive beaconing
- C. daisy chaining
- D. background scanning

Correct Answer: B

https://www.pass4lead.com/400-351.html 2022 Latest pass4lead 400-351 PDF and VCE dumps Download

QUESTION 4

In Cisco Prime Infrastructure, which protocol is used to send traps to northbound notification receivers	n Cisco Prime Infrastructure	which protocol is	used to send traps to	northbound notification	receivers?
--	------------------------------	-------------------	-----------------------	-------------------------	------------

- A. JSON
- B. SNMP
- C. HTTPS
- D. NMSP

Correct Answer: B

QUESTION 5

Which event happens when a wireless client connects to a Cisco 5760 Converged Access Controller with a WLAN configured for AAA override enabled and an invalid VLAN (not configured on the Cisco 5760) is returned as part of RADIUS accept message by the Cisco ISE server?

- A. The client is marked as associated and DHCP required state.
- B. The client is marked as authenticated but does not get an IP address.
- C. The client is put in exclusion list by the WLC.
- D. The client is put in the RUN state and is mapped to the wireless management VLAN.

Correct Answer: B

Latest 400-351 Dumps

400-351 Study Guide

400-351 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.