

# 400-351<sup>Q&As</sup>

**CCIE** Wireless Written

# Pass Cisco 400-351 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/400-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

In Cisco Wireless LAN Controller .the transmit power level of an AP radio is assigned an integer value inserted of a value in mW or dBm. Which two statements about the power level are true (Choose two)

- A. The integer corresponds to a power level that vanes depending on the regulatory domain in which the access points are deployed
- B. Each successive lower power level always represents 50% of the previous power level.
- C. Power Level 1 is always the minimum power level allowed per country code setting.
- D. There are always eight power levels for configuration.

Correct Answer: AB

#### **QUESTION 2**

Refer to exhibit. The dynamic interfaces shown above are bound to an interface group for a specific WLAN profile in the Cisco Wireless LAN Controller. You notice duplicated multicast streams on the wireless medium for the given WLAN profile. Which statement is correct?

InterfaceName	vlanId		MGID
		d	<b></b>
management	0		0
multicast01	101	60	12
multicast02	102		13
multicast03	103		14
multicast04	104		15
layer2 mDNS MGID Mapping:		9	
Start mDNS Mgid	16447		
End mDNS Mgid			
54 W 200200 200 70			
Layer3 MGID Mapping:			
Layer3 MGID Mapping:		MGID	IGMP/MLD
Layer3 MGID Mapping: Number of Layer3 MGIDsGroup address	20545 4 VLAN		
Layer3 MGID Mapping: Number of Layer3 MGIDs Group address	20545 	12350	IGMP
Layer3 MGID Mapping:  Number of Layer3 MGIDs  Group address  239.0.1.2	20545 	12350 12351	IGMP IGMP
End mDNS Mgid	20545 	12350	IGMP

A. The controller always uses Layer 3 multicast group ID for all Layer 3 multicast traffic sent to the access point. Internet



### https://www.pass4lead.com/400-351.html

2022 Latest pass4lead 400-351 PDF and VCE dumps Download

Group Management Protocol snooping should be disabled to avoid duplicate streams.

- B. The controller creates different multicast group IDs for each multicast address and VLAN, and as a result, the upstream router sends one copy for each VLAN. Enable Multicast VLAN to avoid duplicate streams.
- C. Global multicast mode and Internet Group Management Protocol snooping have not been enabled. To avoid duplicate streams, enable both.
- D. Global multicast mode, global IPv6 config, and multicast listener discovery snooping have not been enabled. Enable these to avoid duplicate streams.

Correct Answer: A

#### **QUESTION 3**

You have an AP group called APGroup-1, which has an RF profile called Profile-A associated to its 802.11a band. Which two steps can be used to modify the data rates of the RF profile? (Choose two.)

- A. Disable the 802.11a radios of the APs in the AP group and then modify the data dates of the RF profile.
- B. Disable the 802.11a band globally on the controller and then modify the data rates on the RF profile.
- C. Remove the RF profile from the AP group, modify the data rates and then apply it back to the AP group.
- D. Disable the 802.11a band globally of the RF group leader for 802.11a and then modify the data rates on the RF profile.
- E. Freeze TPC for the 802.11a band and then change the data rates.

Correct Answer: AC

QUESTION 4



Client Interface Mac: 00:01:02:03:04:05
Measurement Duration: 90 seconds
Timestamp 1st Jan 2006, 06:35:80
UpLink Stats
=======================================
Average Delay (5sec intervals)35
Delay less than 10 ms
Delay bet 10 - 20 ms20
Delay bet 20-40 ms20
Delay greater than 40ms
Total packet Count80
Total packet lost count (5sec)
Maximum Lost Packet count (5sec)5
Average Lost Packet count (5secs)2
DownLink Stats
Average Delay (5sec intervals)35
Delay less than 10 ms
Delay bet 10 - 20 ms
Delay bet 20-40 ms
Delay greater than 40 ms
Total packet Count80
Total oacket lost count (5sec)10
Maximum Lost Packet count (5sec)5

Refer to the exhibit. Which feature (and associated show output) is seen here?

- A. Controller>show client tsm 802.11a 00:01:02:03:04:05 all
- B. Controller>show client wmm 802.11a 00:01:02:03:04:05 all
- C. Controller>show ap stats 802.11a00:01:02:03:04:05
- D. Controller>show client detail 00:01:02:03:04:05

Correct Answer: A

 $http://www.cisco.com/c/en/us/td/docs/wireless/controller/7-\\ 4/configuration/guides/consolidated/b\_cg74\_CONSOLIDATED/b\_cg74\_CONSOLIDATED\_ chapter\_010000.html$ 

#### https://www.pass4lead.com/400-351.html 2022 Latest pass4lead 400-351 PDF and VCE dumps Download

#### **QUESTION 5**

You have been asked to deploy locally significant certificates on access points to implement AP authorization. Which two requirements are needed to authorize Aps using LSC? (Choose two.)

- A. You must deploy 802.1x on all the switch ports that the access points connect through.
- B. The company needs a PKI infrastructure to implement this solution.
- C. A DHCP option must be configured to point the wireless client toward the certificate authority.
- D. A DHCP option must be configured to point the AP toward the certificate authority.
- E. The controller must be configured as a CA proxy and receives the certRequest signed by the CA for the access point.

Correct Answer: BE

400-351 VCE Dumps

400-351 Practice Test

400-351 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.