

600-511 Q&As

Designing with Cisco Network Programmability for ACI

Pass Cisco 600-511 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/600-511.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

OpenStack integration with the Cisco APIC is provided through a plug-in to which OpenStack Project?

- A. Nova
- B. Swift
- C. Cinder
- D. Neutron
- E. Glance

Correct Answer: D

QUESTION 2

Which two statements about server connectivity in ACI are true? (Choose two.)

- A. Unicast traffic from servers in the same EPG is not permitted unless a specific contract allows it.
- B. Unicast traffic from servers in a different EPG is not permitted unless a specific contract allows it.
- C. Unicast traffic from servers in a different EPG is not permitted unless both EPGs are in the same bridge domain.
- D. Multicast traffic from servers in the same EPG is not permitted unless a specific contract allows it.
- E. Multicast traffic from servers in the different EPG is not permitted unless a specific contract allows it.
- F. Multicast traffic from servers in a different EPG is not permitted unless both EPGs are in the same bridge domain.

Correct Answer: BF

QUESTION 3

Which two options are two provisions of ACI for security? (Choose two.)

- A. Security services are provided by the fabric, without the need for external appliances.
- B. ACI depends on external appliances and software to provide security.
- C. ACI provides a stateless whitelist approach for all traffic in the fabric.
- D. ACI allows for easy integration of external stateful physical and virtual security devices into the fabric.

Correct Answer: CD

QUESTION 4

Which option is for migrating an existing Data Center network to Cisco ACI?

- A. First migrate existing FEXs to 9500.
- B. First connect the core (for example, Cisco ASR 9000 Router or Cisco Nexus 7000 Series Switches) to the ACI fabric that supports external connectivity routing mechanisms (OSPF NSSA, iBGP, and static routes).
- C. First disable flooding on each bridge domain during migration to avoid broadcast storms.
- D. First migrate existing access layer (for example, Catalyst 5500/6000 + FEX) to Cisco MDS 9500 Series.

Correct Answer: B

QUESTION 5

Which four types of devices can be connected to a leaf device in an ACI fabric? (Choose four.)

- A. virtualized servers
- B. 10M Ethernet devices
- C. Layer 4 to Layer 7 services nodes
- D. Layer 2 switch using FabricPath
- E. bare metal servers
- F. Layer 3 routers
- G. another leaf

Correct Answer: ACEF

[600-511 Practice Test](#)

[600-511 Study Guide](#)

[600-511 Braindumps](#)