

642-661^{Q&As}

CCIP Configuring BGP on Cisco Routers (BGP)

Pass Cisco 642-661 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Who should use private AS numbers?

- A. multihomed customers who configured their AS as a transit AS
- B. customers connected to a single ISP using a single permanent link
- C. customersmultihomed to a single ISP using multiple permanent links
- D. customersmultihomed to two different ISPs

Correct Answer: C

QUESTION 2

What is a difference between using the network command vs. the aggregate-address command to perform route aggregation and summarization?

- A. The network command has more configuration options.
- B. The aggregate-address command has the option to suppress some of the more specific routes.
- C. The aggregate-address command can summarize routes learned from other routing protocols besides BGP.
- D. The network command requires the more specific routes to be in the BGP table.
- E. The network command always requires the configuration of a static route pointing to the null interface.

Correct Answer: B

QUESTION 3

The neighbor {ip-address} maximum-prefix {maximum number} command prevents which router condition?

- A. route flaps
- B. frequent BGP session resets
- C. CPU and memory exhaustion
- D. routing instability
- E. asymmetric routing

Correct Answer: C

QUESTION 4



Which two statements about a transit AS are correct? (Choose two.)

- A. A transit AS uses an IGP like OSPF or ISIS to propagate the external networks within the transit AS.
- B. Routes between ASs are always exchanged viaeBGP.
- C. iBGP sessions can be established between non directly connected routers.
- D. A transit AS haseBGP connection(s) to only one external AS.
- E. Core routers within a transit AS normally use default routing to reach the external networks.


Correct Answer: BC

QUESTION 5

Select and Place:



Correct Answer:



642-661 PDF Dumps

642-661 VCE Dumps

642-661 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4lead, All Rights Reserved.