

642-813^{Q&As}

Implementing Cisco IP Switched Networks

Pass Cisco 642-813 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-813.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/642-813.html

2022 Latest pass4lead 642-813 PDF and VCE dumps Download

QUESTION 1

RSPAN has been configured on a Cisco Catalyst switch; however, traffic is not being replicated to the remote switch. Which type of misconfiguration is a cause?

- A. The RSPAN designated VLAN is missing the remote span command.
- B. The local and remote RSPAN switches are configured using different session IDs.
- C. The local RSPAN switch is replicating only Rx traffic to the remote switch.
- D. The local switch is overloaded with the amount of sourced traffic that must be replicated to the remote switch.

Correct Answer: A

QUESTION 2

Interfaces are assigned to a VLAN, and then the VLAN is deleted. Which state are these interfaces in after the VLAN is deleted?

- A. They remain up, but they are reassigned to the default VLAN.
- B. They go down until they are reassigned to a VLAN.
- C. They go down, but they are reassigned to the default VLAN.
- D. They remain up, but they are reassigned to the native VLAN.

Correct Answer: B

QUESTION 3

Which option is a possible cause for an errdisabled interface?

- A. routing loop
- B. cable unplugged
- C. STP loop guard
- D. security violation

Correct Answer: D

QUESTION 4

Refer to the exhibit.

https://www.pass4lead.com/642-813.html 2022 Latest pass4lead 642-813 PDF and VCE dumps Download

%GLBP-4-DUPADDR: Duplicate address


Which option describes the reason for this message in a GLBP configuration?

- A. Unavailable GLBP active forwarder
- B. Incorrect GLBP IP address
- C. HSRP configured on same interface as GLBP
- D. Layer 2 loop

Correct Answer: D

QUESTION 5

You have been asked to install and configure a new switch in a customer network. Use the console access to the existing and new switches to configure and verify correct device configuration.



Examine the VTP configuration. You are required to configure private VLANs for a new server deployment connecting to the SW4 switch. Which of the following configuration steps will allow creating private VLANs?

- A. Disable VTP pruning on SW1 only
- B. Disable VTP pruning on SW2 only
- C. Disable VTP pruning on SW4 only
- D. Disable VTP pruning on SW2, SW4 and New_Switch
- E. Disable VTP pruning on New_Switch and SW4 only.

Correct Answer: C



https://www.pass4lead.com/642-813.html 2022 Latest pass4lead 642-813 PDF and VCE dumps Download

To create private VLANs, you will need to only disable pruning on the switch that contains the private VLANs. In this case, only SW4 will connect to servers in a private VLAN.

642-813 PDF Dumps

642-813 VCE Dumps

642-813 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.