

642-874^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 642-874 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-874.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/642-874.html 2022 Latest pass4lead 642-874 PDF and VCE dumps Download

QUESTION 1
What is the latest Cisco high-availability solution?
A. VRRP
B. HSRP
C. VSS
D. GLBP
Correct Answer: C
QUESTION 2
Which VRF component ensures control plane separation between the different Layer 3 VPNs?
A. FIB
B. routing protocol instance
C. RIB
D. a subset of the router interfaces
Correct Answer: B
QUESTION 3
A network engineer is designing a dual router, dual ISP solution and must prefer one ISP for inbound traffic over the other. Which two BGP attributes can be manipulated to accomplish this goal? (Choose two.)
A. AS path
B. MED
C. local preference
D. weight
E. origin code
Correct Answer: AB

QUESTION 4

Which option is the primary reason to implement security in a multicast network?



https://www.pass4lead.com/642-874.html

2022 Latest pass4lead 642-874 PDF and VCE dumps Download

- A. maintain network operations
- B. allow multicast to continue to function
- C. optimize multicast utilization
- D. ensure data streams are sent to the intended receivers

Correct Answer: A

QUESTION 5

When designing the routing for an Enterprise Campus network it is important to keep which of the following route filtering aspects in mind?

- A. Filtering is only useful when combined with route summarization
- B. It is best to filter (allow) the default and summary prefixes only in the Enterprise Edge to remote sites or site-to-site IPsec VPN networks
- C. IGPs (for example EIGRP or OSPF) are superior to route filtering in avoiding inappropriate transit traffic through remote nodes or inaccurate or inappropriate routing updates
- D. The primary limitation of router filtering is that it can only be applied on outbound updates

Correct Answer: B

Latest 642-874 Dumps

642-874 VCE Dumps

642-874 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.