

642-980^{Q&As}

Troubleshooting Cisco Data Center Unified Fabric

Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-980.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/642-980.html 2022 Latest pass4lead 642-980 PDF and VCE dumps Download

QUESTION 1

A customer calls you to report that it receives an error when entering the pinning max-links 4 command in FEX configuration mode on its Cisco Nexus 5596T Switch. Which of these is a likely cause for this condition?

- A. The FEX fabric interface is down.
- B. The transceiver is incorrect.
- C. A fabric interface is in a port channel.
- D. The fabric interface switchport mode is set to Access.
- E. Only two fabric interfaces are connected.

Correct Answer: C

QUESTION 2



https://www.pass4lead.com/642-980.html

2022 Latest pass4lead 642-980 PDF and VCE dumps Download

Instructions




- Enter NX-OS commands on the device to verify network operation and answer the multiple-choice questions.
- THIS TASK DOES NOT REQUIRE DEVICE CONFIGURATION.
- . Click on the Console PC to gain access to the console of the router. No console or enable passwords are required.
- To access the multiple-choice questions, click on the numbered boxes on the left of the top panel.
- There are three multiple-choice questions with this task. Be sure to answer all three questions before clicking the Next button.

Scenario



The following three troubleshooting questions concern the Cisco Nexus 7000 and Nexus 5000 switches, which are at the core of the data center network. You can utilize all the available **show** commands to answer the questions. Access to the running configuration is not allowed.









The Cisco Nexus 2248 FEX has been added recently to the network via a vPC to the Nexus 5000 switches; however, connectivity is not yet operational. What is the problem with the configuration?



https://www.pass4lead.com/642-980.html

2022 Latest pass4lead 642-980 PDF and VCE dumps Download

- A. Both Nexus 5000 switches must associate to the same FEX number
- B. Each Nexus 5000 should have its own FEX to support a straight-through topology.
- C. The maximum number of links for pinning purposes should be increased to 2.
- D. Ethernet1/18 must be configured without a port channel.

Correct Answer: D

QUESTION 3

Which command would you use to find the AED of an extended VLAN in a dual-homed site of an OTV network?

- A. show otv aed on the AED
- B. show otv site on any edge devices in the site
- C. show otv vlan on the AED
- D. show otv aed on any edge devices in the site
- E. show otv vlan on any edge devices in the site

Correct Answer: C

QUESTION 4

What arethreesituations that may cause an ISSU failure? (Choosethree.)

- A. A module is removed while the upgrade is in progress.
- B. A proper ISSU license is not in place.
- C. The device has a power disruption while the upgrade is in progress.
- D. A line card is in a failure state.
- E. The specified system and kickstart images are not compatible.
- F. The management interface is not in the correct VRF.
- G. The secondary supervisor is not installed.
- H. The redundancy force-switchover command was used during the ISSU.

Correct Answer: CDE

QUESTION 5

Refer to the exhibit.

https://www.pass4lead.com/642-980.html 2022 Latest pass4lead 642-980 PDF and VCE dumps Download

npiv is enabled

External Interfaces:

Interface: fc1/1, VSAN: 1, FCID: 0x000000, State: Other

Number of External Interfaces: 7

A customer is having a problem getting NPV to work. What is causing the problem?

- A. The core NPV switch port is not an F port.
- B. The core NPV switch port is in a shutdown state.
- C. The core NPV switch port is not configured on both ends.
- D. The core NPV switch port is not configured on the other end.
- E. The core NPV switch ports are in the wrong domain.

Correct Answer: A

642-980 PDF Dumps

642-980 Study Guide

642-980 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.