642-999^{Q&As}

Implementing Cisco Data Center Unified Computing

Pass Cisco 642-999 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-999.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

QUESTION 1

```
Instructions                                          ☒
Open the windows by clicking on the minimized title at the bottom of the viewing area.
Windows can be minimized by clicking on the [-], repositioned by dragging the title bar, and
resized by using the handle at the lower right corner to customize the viewing area.

If you are required to access the devices to complete this scenario, the mouse cursor will
use a hand symbol when moved over device icons. Click the icon to open a device terminal
to interact with the hardware.

Open the Questions window and begin by clicking a question number. When you have
completed answering all questions, click Done to continue.
```

```
Scenario                                              ☒
Use your UCS knowledge on Fabric Interconnect Failover to answer the questions associated with the
UCS cluster.
```

```
Exhibit1                                              ☒
UCS-A# show cluster state
Cluster Id: 0xfc436fa8b8851e0-0xa370000573cb6c04

A: UP, PRIMARY
B: UP, SUBORDINATE

HA READY
UCS-A# connect local-mgmt
Cisco Nexus Operating System (NX-OS) Software
TAC support: http://www.cisco.com/tac
Copyright (c) 2002-2011, Cisco Systems, Inc. All rights reserved.
The copyrights to certain works contained in this software are
owned by other third parties and used and distributed under
license. Certain components of this software are licensed under
the GNU General Public License (GPL) version 2.0 or the GNU
Lesser General Public License (LGPL) Version 2.1. A copy of each
such license is available at
http://www.opensource.org/licenses/gpl-2.0.php and
http://www.opensource.org/licenses/lgpl-2.1.php

UCS-A(local-mgmt)# cluster lead b
UCS-A(local-mgmt)#
```

Hot Area:

```
1   Which statements is true regarding the Fabric Interconnect Failover configuration
2   changes?
3
    ○  High availability is being setup so that cluster a and b can both be subordinate or
       primary.

    ○  The fabric interconnect b changes from subordinate to primary.

    ○  High availability is setup so that fabric interconnect will keep a to be primary and b will
       be lead.

    ○  The Fabric interconnect can have two lead states, so that b will switch to primary and
       a will stay primary.
```

Correct Answer:

1
2
3

Which statements is true regarding the Fabric Interconnect Failover configuration changes?

○ High availability is being setup so that cluster a and b can both be subordinate or primary.

○ The fabric interconnect b changes from subordinate to primary.

○ High availability is setup so that fabric interconnect will keep a to be primary and b will be lead.

○ The Fabric interconnect can have two lead states, so that b will switch to primary and a will stay primary.

QUESTION 2

Which Cisco UCS Manager feature allows you to specify multiple LDAP servers for user authentication?

A. Realm

B. LDAP Provider Group

C. Authentication Domain

D. Organization

Correct Answer: B

QUESTION 3

Which consideration must be made while performing backup operations within the Cisco UCS Manager?

A. Each backup destination can have multiple backup operations.

B. Backups can be scheduled ahead of time.

C. A user can perform incremental backups of a system configuration.

D. Rerunning an existing backup operation overwrites the existing backup file.

Correct Answer: D

QUESTION 4

Which two items can you provision in a vHBA Template? (Choose two.)

A. Max Data Field Size

B. SCSI I/O Queues

C. FCoE VLAN

D. vHBA Interrupt Mode

E. Stats Threshold Policy

F. FLOGI Timeout

Correct Answer: AE

QUESTION 5

Which two are true with respect to the unified ports on the Cisco Unified Computing System 62XX Fabric Interconnect? (Choose two.)

A. The port mode is automatically discovered after plugging in a LAN or Fibre Channel- attached cable.

B. By default, unified ports that are changed to Ethernet port mode are set to uplink Ethernet port type.

C. Ethernet ports must be grouped together in a block and must start with the first port and end with an odd numbered port.

D. Alternating Ethernet and Fibre Channel ports is supported on the expansion module.

E. After making port mode changes on an expansion module, the module will reboot.

F. In a standalone configuration, making port mode changes to the fixed module will not cause the fabric interconnect to reboot.

Correct Answer: CE

Latest 642-999 Dumps   642-999 Practice Test   642-999 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: