

A2090-303^{Q&As}

Assessment: IBM InfoSphere DataStage v9.1 Assessment

Pass IBM A2090-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a2090-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which job log message heading identifies the score in the job log?

- A. OSH script ...
- B. main_program: orchgeneral: loaded
- C. main_program: Broadcasting score.
- D. main_program: This step has 3 datasets: ...

Correct Answer: D

QUESTION 2

Which option is required to identify a particular job player processes? Which option is required to identify a particular job? player processes?

- A. Set \$APT_DUMP_SCORE to true.
- B. Set \$APT_PM_SHOW_PIDS to true.
- C. Log onto the server and issue the command "ps -ef | grep ds".
- D. Use the DataStage Director Job administration screen to display active player processes.

Correct Answer: B

QUESTION 3

What is used to configure the DataStage QualityStage Operations Console?

- A. DataStage Administrator
- B. The DSODBCConfig.cfg file
- C. The DSAppWatcher.sh script
- D. Information Server Web Console

Correct Answer: B

QUESTION 4

What stage allows for more than one reject link?

- A. Join stage
- B. Merge stage
- C. Lookup stage
- D. Funnel stage

Correct Answer: B

QUESTION 5

Your job sequence must be restartable. It runs Job1, Job2, and Job3 serially. It has been compiled with "Add checkpoints so sequence is restartable". Job1 must execute every run even after a failure. Which two properties must be selected to ensure that Job1 is run each time, even after a failure? (Choose two.)

- A. Set the Job1 Activity stage to "Do not checkpoint run".
- B. Set trigger on the Job1 Activity stage to "Unconditional".
- C. In the Job1 Activity stage set the Execution action to "Run".
- D. In the Job1 Activity stage set the Execution action to "Reset if required, then run".
- E. Use the Nested Condition Activity with a trigger leading to Job1; set the trigger expression type to "Unconditional".

Correct Answer: AD

[Latest A2090-303 Dumps](#)

[A2090-303 Practice Test](#)

[A2090-303 Braindumps](#)