

C4090-454^{Q&As}

IBM High-End Tape Technical Solutions V7

Pass IBM C4090-454 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c4090-454.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two are types of nodes in the TS7700 Virtualization Engine architecture? (Select two)

- A. hNode
- B. vNode
- C. sNode
- D. pNode
- E. tNode

Correct Answer: AB

QUESTION 2

Which statement best describes Recovery Point Objective?

- A. The maximum tolerable time it takes to restore service to all users between outage and 100% of the users back online.
- B. How much data (typically measured in minutes, or seconds) the business can afford to recreate (or lose) after a disaster.
- C. The maximum tolerable time to re-establish and/or restart the network between outage and the network being available again.
- D. The maximum time the business can tolerate the IT systems and critical applications being unavailable, between outage and the system being available again.

Correct Answer: B

QUESTION 3

Which IBM Enterprise Tape function improves drive performance and reduces start/stop operation of the tape drive especially when writing many small objects to tape?

- A. Capacity Scaling
- B. Built-in Compression
- C. FastSync / Virtual Backhitch
- D. Media Re-Use for Multiple Generations

Correct Answer: C

QUESTION 4

What is a key characteristic of a disaster recovery (DR) solution compared to a high availability (HA) solution?

- A. DR always requires human intervention while HA always is automated
- B. DR means doubling all equipment in 2 separate sites while HA means doubling all equipment in a single site
- C. DR only protects from natural disasters (fire, flooding, earthquakes etc) while HA only protects from IT equipment outage
- D. DR protects from outage of a complete site while HA protects from outage of one or several individual elements in the IT infrastructure

Correct Answer: D

QUESTION 5

A banking customer's TS7740 was unable to replicate the tape backup data to the DR data center via the current grid network. The IBM support engineer had created a PMR with Severity 1 because the tape library is supporting the customer's production environment. Six hours after the PMR was created, IBM Level 2 support requested to change the Severity Level to 2, even though the problem had not been resolved. Based on IBM guidelines, why would this problem need to be reduced to Severity 2?

- A. Severity 1 only applies to Tape Failure
- B. Severity 1 only applies to Network Failure
- C. Severity 1 only applies to Production Failure
- D. Severity 1 problem must be resolved within 6 hours

Correct Answer: C

[Latest C4090-454 Dumps](#)

[C4090-454 Practice Test](#)

[C4090-454 Study Guide](#)