

C4090-454^{Q&As}

IBM High-End Tape Technical Solutions V7

Pass IBM C4090-454 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c4090-454.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What drive type does the TS7700 present to the host?

- A. 3480
- B. 3592
- C. 3490E D. 3590B

Correct Answer: C

QUESTION 2

Which statement best describes Recovery Point Objective?

- A. The maximum tolerable time it takes to restore service to all users between outage and 100% of the users back online.
- B. How much data (typically measured in minutes, or seconds) the business can afford to recreate (or lose) after a disaster.
- C. The maximum tolerable time to re-establish and/or restart the network between outage and the network being available again.
- D. The maximum time the business can tolerate the IT systems and critical applications being unavailable, between outage and the system being available again.

Correct Answer: B

QUESTION 3

A customer is attaching a TS7740 with six TS1140 drives to an existing TS3500 which is used for open systems. The new tape drives and switches will be installed in an existing D23 frame with two TS1130 drives installed. What significant change does the customer need to be aware of with this installation?

- A. The existing TS1130 drives will need to be upgraded to TS1140
- B. The TS3500 will need an additional enhanced frame control assembly (FC 1451)
- C. The TS1 130 drives will have to be removed and installed in another frame of the TS3500
- D. The power requirements change and the power cord of the existing library frame must be upgraded

Correct Answer: D

QUESTION 4

Which IBM Enterprise Tape function improves drive performance and reduces start/stop operation of the tape drive especially when writing many small objects to tape?

- A. Capacity Scaling
- B. Built-in Compression
- C. FastSync / Virtual Backhitch
- D. Media Re-Use for Multiple Generations

Correct Answer: C

QUESTION 5

To install an IBM 3592-007 with attached drives housed in a TS3500 Tape Library, which of the following is required?

- A. TS3500 frame with mountings to install the 3592-007 and its switches
- B. Customer-supplied standard rack using switches in one of the TS3500 frames
- C. IBM 3953 frame with switches installed either in 3953 frame or one of the TS3500 frames
- D. IBM 3952 frame with switches installed either in 3952 frame or one of the TS3500 frames

Correct Answer: D

[C4090-454 VCE Dumps](#)

[C4090-454 Study Guide](#)

[C4090-454 Exam Questions](#)