

# JN0-321<sup>Q&As</sup>

DX, Associate(JNCIA-DX)

## Pass Juniper JN0-321 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/jn0-321.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/jn0-321.html 2024 Latest pass2lead JN0-321 PDF and VCE dumps Download

#### OUESTION 1

QUESTION I
In the WebUI, which method will determine if a Cluster target host is available?
A. Click Statistics > Cluster Groups
B. Click Dashboard > Cluster group name
C. Click Services > Cluster Groups
D. Click Log > Audit
Correct Answer: B
QUESTION 2
Which AppRule type is used to configure 3G caching?
A. PTH
B. RS
C. RTH
D. PTC
Correct Answer: A
QUESTION 3
When using a Redirector on the DX appliance, which HTTP response code is sent back to the client when they make a request to a redirected URL?
A. HTTP 304
B. HTTP 302
C. HTTP 200
D. HTTP 404
Correct Answer: B

### **QUESTION 4**

Which BGP route selection criterion is superior?

A. lowest MED



### https://www.pass2lead.com/jn0-321.html

2024 Latest pass2lead JN0-321 PDF and VCE dumps Download

- B. highest weight
- C. shortest AS Path
- D. lowest local preference
- E. highest local preference
- F. peer with lowest Router ID

Correct Answer: B

#### **QUESTION 5**

When configuring a Juniper DX SLB, which two statements are true about the listen interface? (Choose two.)

- A. The value should be manually set based on the subnet of the target hosts.
- B. This field is auto populated when you save your settings.
- C. The value is determined by the subnet of the VIP entered in the Listen Address field.
- D. It should always be configured to use port ether1.

Correct Answer: BC

JN0-321 PDF Dumps

JN0-321 Practice Test

JN0-321 Exam Questions