

JN0-332^{Q&As}

Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

Pass Juniper JN0-332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/jn0-332.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Your network administrator asked you to replace Node I of an SRX5800 chassis cluster running in an active/active mode. The administrator wants to know any impact this could cause.

What should be considered during the hardware replacement?

A. You would need to add a third RE to Node0 to handle the overload of traffic when Node I is taken offline.

B. The two REs on Node0 might become overwhelmed when the third and fourth active REs are taken offline on Node1.


C. Node0 might be disabled once it loses connectivity Node1.

D. Some traffic might be impacted when the active interfaces transition from Node1 to Node0 and the sessions are reestablished.

Correct Answer: B

QUESTION 2

-- Exhibit -- Exhibit -



Click the Exhibit button.



A server in the DMZ of your company is under attack. The attacker is opening a large number of TCP connections to your server which causes resource utilization problems on the server. All of the connections from the attacker appear to be coming from a single IP address.

Referring to the exhibit, which Junos Screen option should you enable to limit the effects of the attack while allowing legitimate traffic?

A. Apply the Junos Screen option limit-session source-based-ip to the Untrust security zone.

- B. Apply the Junos Screen option limit-session source-based-ip to the DMZ security zone.
- C. Apply the Junos Screen option limit-session destination-based-ip to the Untrust security zone.
- D. Apply the Junos Screen option limit-session destination-based-ip to the DMZ security zone.

Correct Answer: A

QUESTION 3

Which statement is true about factory-default zones?

- A. High-end SRX devices have trust and untrust zones.
- B. Branch SRX devices have trust and untrust zones.
- C. High-end SRX devices have only a trust zone.
- D. Branch SRX devices have no zones.

Correct Answer: B

QUESTION 4

You are configuring a blacklist for Web filtering on a branch SRX Series device.

Which two URL patterns are valid? (Choose two.)

- A. http://www.company.com/*
- B. http://*.company.com
- C. www.company.com
- D. 1.2.3.4

Correct Answer: BD

QUESTION 5

Which two statements are true about pool-based destination NAT? (Choose two.)



- A. It also supports PAT.
- B. PAT is not supported.
- C. It allows the use of an address pool.
- D. It requires you to configure an address in the junos-global zone.

Correct Answer: AC

Latest JN0-332 Dumps

JN0-332 Study Guide

JN0-332 Braindumps