

JN0-661^{Q&As}

Service Provider Routing and Switching

Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/jn0-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4Lead.com

https://www.pass4lead.com/jn0-661.html

2022 Latest pass4lead JN0-661 PDF and VCE dumps Download

QUESTION 1

A service provider wants to start using all of their LSPs for internal traffic and not just their MPLS VPNs. Any solution must ensure that existing VPNs and routing policies will continue to function properly.

Which MPLS traffic engineering parameter would accomplish this task?

- A. bgp
- B. bgp-igp-both-ribs
- C. bgp-igp
- D. mpls-forwarding

Correct Answer: B

QUESTION 2

You have configured PIM dense mode on your network. One of your PIM-enabled routers is not in the path of the source-based tree between the source and the receivers, and has no need for the multicast traffic. Which behavior would you expect from that router?

- A. The router will send register stop messages to the RP.
- B. The router will send prune messages to its upstream router.
- C. The router will send assert messages to the RP.
- D. The router will send graft messages to its upstream router.

Correct Answer: B

QUESTION 3

Which configuration parameter would be used by a commit script to use custom syntax and simplify the configuration?


- A. Apply-groups
- B. Allow-transients
- C. Direct-access
- D. Apply-macro

Correct Answer: D

QUESTION 4

https://www.pass4lead.com/jn0-661.html

Click the Exhibit



The exhibit shows the partial configurations of PE1 and PE2. PE2 is unable to forward VPN data to PEL What should be configured to solve this problem?

- A. Configure an MPLSLSPfrom PE2 to PEL
- B. Configure a route on PE2 to PE1 \\'s loopback address in inet 0.
- C. Configure a matching vrf-target statement on PE1 and PE2.
- D. Configure a static default route in inet 3 on PE2.

Correct Answer: A

QUESTION 5

Which 0SPFv3 router ID is valid?

A. 192.168.1.1

B.:;192.168.1.1

C. 0.0.0.0

D. 2008:db800::1

Correct Answer: A

Latest JN0-661 Dumps

JN0-661 PDF Dumps

JN0-661 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.