

LX0-103^{Q&As}

CompTIA Linux+ [Powered by LPI] 1

Pass CompTIA LX0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/lx0-103.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1
Instead of supplying an explicit device in /etc/fstab for mounting, what other options may be used to identify the intended partition? (Choose TWO correct answers.)
A. FIND
B. ID
C. LABEL
D. NAME
E. UUID
Correct Answer: CE
QUESTION 2
Which of the following commands can be used to create a USB storage media from a disk image?
A. gdisk
B. dd
C. cc
D. fdisk
E. mount
Correct Answer: B
QUESTION 3
A user accidentally created the subdirectory \dir in his home directory. Which of the following commands will remove that directory?
A. rmdir \\'~/\dir\\'
B. rmdir "~/\dir"
C. rmdir ~/\\'dir\\'
D. rmdir ~∆dir
E. rmdir ~/\\dir

Correct Answer: E

https://www.pass2lead.com/lx0-103.html

2024 Latest pass2lead LX0-103 PDF and VCE dumps Download

QUESTION 4

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Correct Answer: A

QUESTION 5

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed. bar would still exist but would be unusable.
- D. Both foo and bar would remain accessible.
- E. The user is prompted whether bar should be removed, too.

Correct Answer: B

Latest LX0-103 Dumps

LX0-103 VCE Dumps

LX0-103 Exam Questions