



NetApp Certified Data Administrator, ONTAP

# Pass Network Appliance NS0-158 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/ns0-158.html

## 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 💿 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

You want to permanently reassign ownership of an aggregate to a node\\'s partner. What should you do to accomplish this task?

- A. Reassign ownership of each disk in the aggregate to the partner node.
- B. Execute the storage aggregate relocation start command.
- C. Execute the storage failover command.
- D. Move all volumes on the aggregate to an aggregate that is owned by the partner.

Correct Answer: B

To start the aggregate relocation process us the command: storage aggregate relocation start References: https://library.netapp.com/ecmdocs/ECMP1196905/html/GUID-AE98144E- 002D-405D-88C5-198DC4B05F55.html

#### **QUESTION 2**

To configure high availability within a FAS8080 EX HA pair, which two statements are correct? (Choose two.)

- A. Connect the NVRAM HA interconnects between the nodes in the HA pair.
- B. Cable the cluster interconnects to the interconnect switch.
- C. Connect multiple FC paths from the controllers to the hosts.
- D. Connect both the local node and partner node to disk shelves using multipath HA.

Correct Answer: AC

A: If an NVRAM HA adapter fails, the node automatically fails over to its partner node. The partner (takeover) node serves data for both of the nodes. References: https://library.netapp.com/ecm/ecm\_download\_file/ECMP1610209

#### **QUESTION 3**

Which two features are supported by SnapLock Enterprise but not by SnapLock Compliance? (Choose two.)

- A. FlexArray
- B. privileged delete
- C. NetApp Volume Encryption (NVE)
- D. SnapMirror

Correct Answer: BD

Features supported by SnapLock Enterprise but not by SnapLock Compliance include:



Note:

Comparison table of SnapLock Enterprise and SnapLock Compliance The SnapLock Enterprise and the SnapLock Compliance features differ in terms of the options and permissions available for both the features.

Features	SnapLock Enterprise	SnapLock Compliance
Special or exclusive license available	Yes	Yes
Write verification option available	No	Yes
Permission for the system administrator to destroy volumes irrespective of the retention setting	Yes	No
Permission for the system administrator to selectively delete the files (that are not expired) with the privileged delete feature	Yes	No
Non-NetApp disks support	Yes (as part of FlexArray)	No
Usage of a volume as a SnapLock log volume	No	Yes
Default retention period of a volume on creation (the retention period can be modified by the system administrator at any time)	snaplock_default_retention=min	snaplock_default_retention=max
Single file SnapRestore	Yes	Νο
SnapRestore	Yes	No
SnapMirror resynchronize support for the destination volume	Yes	No
Log information related to LockVault volumes are available	Yes	Yes
Permission to rename an aggregate or a volume	Yes	No

References: https://library.netapp.com/ecmdocs/ECMP1368820/html/GUID-9E05FE59- BF40-4C22-AD4D-ACBCB552D9A0.html

#### **QUESTION 4**

Click the exhibit button.

::> vol show -vserver svml -volume svml\_datal -fields policy, junction-path

vserver	volume	policy	junc	tion-path			
svml	svml_datal	datal	/dat	al off			
::> expor	t-policy rule	e show -fields	s protocol,	clientmatch, roru	le,rwrul	e,superuse	r
vserver	policyname	ruleindex	protocol	Clientmatch	rorule	rwrule	superuser
svml	datal	1	any	0.0.0.0/0	any	none	none
svml	datal	2	any	192.168.1.0/24	any	sys	373
svml	datal	3	any	192.168.2.0/24	any	sys	sys
svml	datal	4	any	192.168.3.0/24	any	sys	sys
4 entries	were display	yed.	10.0852-0273 Mil		2011/12/2016	10.01.01.01.000000	10000700044

In reference to the NFS export-policy rules shown in the exhibit, NFS clients mounted to /data1 from the 192.168.1.0/24, 192.168.2.0/24 and 192.168.3.0/24 subnets are able to mount /data1 and read files but are unable to edit files or write



new files. All other subnets require read-only access to /data1.

What must you do to allow write access to the three subnets while allowing read-only access to all other subnets in this scenario?

- A. Set the index of ruleindex 2 to ruleindex 4.
- B. Set the index of ruleindex 1 to ruleindex 4.
- C. Set the index of ruleindex 3 to ruleindex 4.
- D. Set the index of ruleindex 4 to ruleindex 1.

Correct Answer: B

Make sure the rule with ruleindex 1 is applies last.

Note: You can use the vserver export-policy rule setindex command to manually set an existing export rule\\'s index number. This enables you to rearrange the order in which Data ONTAP processes export rules.

If a client makes an access request that is not permitted by the applicable export policy, the request fails with a permission-denied message. If a client does not match any rule in the export policy, then access is denied. If an export policy is

empty, then all accesses are implicitly denied.

References: https://library.netapp.com/ecmdocs/ECMP1610208/html/GUID-52664AEE- B4EB-45A9-900F-ED504540366F.html

### **QUESTION 5**

Click the Exhibit button.

0.5	1.0	2.0	1.3	1.0	0.5	0.5	1.0	2.0
KB	КВ	KB						

Referring to the exhibit, the write operations would be compacted into how many WAFL blocks?

A. 4

- B. 2
- C. 3
- D. 5

Correct Answer: C

4k is the block size that WAFL uses to write on each disk.

From the exhibit: 0.5 + 1 + 2 + 1.3 + 1 + 0.5 + 0.5 + 1 + 2 KB equals 9.8 KB, which would fit in 3 WAFL blocks.

References: http://community.netapp.com/t5/Network-Storage-Protocols- Discussions/WAFL-questions-blocks-andstripes/td-p/31555



Latest NS0-158 Dumps

NS0-158 VCE Dumps

NS0-158 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

### https://www.pass4lead.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4lead, All Rights Reserved.