

A01-250^{Q&As}

SAS Platform Administration

Pass SASInstitute A01-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a01-250.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A user needs to modify metadata. Which method should be used?

- A. Use the appropriate SAS application to make the modification.
- B. Open the SAS data sets where the metadata is stored and make the modification.
- C. Move the files to a project repository and open the SAS data sets in the physical folder to make the modification.
- D. Use SAS Management Console's Metadata Manager plug-in to make the modification.

Correct Answer: A

QUESTION 2

An identity hierarchy specifies a list of identities and the order of precedence of those identities. Which listing of identities is ranked from highest priority to lowest priority?

- A. User, direct group, indirect group, SASUSERS, PUBLIC
- B. User, SASUSERS, PUBLIC, directgroup, indirect group
- C. SASUSERS, PUBLIC, User, direct group, indirect group
- D. direct group, indirect group, User, PUBLIC, SASUSERS

Correct Answer: A

QUESTION 3

You have used the SAS Management Console to delete a repository. Which statement is true?

- A. The metadata and physical files for the repository are deleted.
- B. The metadata for the repository is deleted but the physical files are not affected.
- C. The metadata for the repository is not affected but the physical files are deleted.
- D. The metadata and physical files for the repository are not affected.

Correct Answer: A

QUESTION 4

A customer's environment has a standard workspace server instantiated by the object spawner. What authentication is required to support this configuration?

- A. back-end authentication

- B. integrated authentication
- C. host authentication
- D. internal authentication

Correct Answer: C

QUESTION 5

When you use a connection profile and the SASSEC_LOCAL_PW_SAVE option is set to Y, which pieces of information is it possible to save?

- A. User ID
- B. Password
- C. User ID and Password
- D. No information can be saved

Correct Answer: C

QUESTION 6

Identify the repository that holds information about the other repositories in the environment.

- A. custom repository
- B. foundation repository
- C. project repository
- D. repository manager

Correct Answer: D

QUESTION 7

Which server does the Connection Profile allow you to connect to?

- A. metadata server
- B. workspace server
- C. OLAP server
- D. stored process server

Correct Answer: A

QUESTION 8

Given the following applications:

-

SAS Add-in for Microsoft Office

-

SAS Enterprise Guide By default,

How do these applications assign libraries?

- A. by using the SAS/ACCESS interface
- B. by using the metadata LIBNAME engine
- C. by using the BASE SAS engine
- D. by using the server autoexec file

Correct Answer: B

QUESTION 9

If you are unable to connect to or use a server, which of the following would NOT be a viable first step in troubleshooting?

- A. Verify that the server is running at the operating system level.
- B. Modify the SAS Server configuration files and attempt to restart.
- C. Verify that the objectspawner is running at the operating system level for the workspace and stored process servers.
- D. Examine logs to identify warnings or errors.

Correct Answer: B

QUESTION 10

In most deployments of the Platform for SAS Business Analytics, which type of access requires passwords for external accounts to be stored in the metadata?

- A. seamless access to the SAS datasets
- B. seamless access to SAS OLAP cubes
- C. seamless access to external databases
- D. all of the above

Correct Answer: C

QUESTION 11

The WriteMemberMetadata (WWM) permission is only found on which type of items?

- A. Data libraries
- B. Folders
- C. Information Maps
- D. Data sets

Correct Answer: B

QUESTION 12

If a server or spawner is failing to start, what would be the most appropriate first step in troubleshooting the cause of the failure?

- A. Run the SAS Deployment Manager to reconfigure the servers.
- B. Modify the SAS Server configuration files.
- C. Copy the command line used to invoke the server and issue it directly in the operating system, noting any errors or information generated.
- D. Use SAS Management Console to modify the server's configuration.

Correct Answer: C

QUESTION 13

You used the SAS Add-In for Microsoft Office in Microsoft Excel to view a SAS OLAP cube. Which type of server is used to access the OLAP cube?

- A. OLAP server
- B. Workspace server
- C. OLAP and workspace server
- D. OLAP and batch server

Correct Answer: A

QUESTION 14

By default, which type of servers run under shared credentials?

- A. Stored process server and workspace server
- B. Workspace server and pooled workspace server
- C. Pooled workspace server and stored process server
- D. Stored process server, workspace server, and pooled workspace server

Correct Answer: C

QUESTION 15

Which statement is FALSE regarding the use of the OMABAKUP macro to backup the SAS environment?

- A. It can be used to restore the backup files.
- B. It can be used to reclaim unused disk space with the REORG option.
- C. It stops the metadata server while performing a backup.
- D. It creates a backup with minimal disruption in service.

Correct Answer: C

[A01-250 Practice Test](#)

[A01-250 Exam Questions](#)

[A01-250 Braindumps](#)