

100-490^{Q&As}

Supporting Cisco Routing & Switching Network Devices

Pass Cisco 100-490 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/100-490.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two pieces of information about a neighboring device are displayed when you use the CLI command show cdp neighbor? (Choose two.)

- A. platform
- B. uptime
- C. device ID
- D. Cisco IOS Software version
- E. IP address

Correct Answer: AC


QUESTION 2

Which two pairs of LAN Ethernet devices use an RJ-45 straight-through cable? (Choose two.)

- A. switch-to-switch
- B. switch-to-router
- C. switch-to-hub
- D. router-to-router
- E. switch-to-server

Correct Answer: BE

QUESTION 3



Refer to the exhibit. Which two statements about the hardware components are true? (Choose two.)

- A. 2 is an RJ-45 to USB Type A console cable.
- B. 3 is a USB Type A port.
- C. 3 is a USB 5-pin mini USB Type B port.
- D. 1 is a USB Type A port.
- E. 2 is a USB 5-pin mini USB Type B to USB Type A console cable.

Correct Answer: BE

Reference: https://www.cisco.com/c/en/us/td/docs/routers/access/2900/hardware/installation/guide/Hardware_Installation_Guide/Install_Connect.html

QUESTION 4

An Ethernet interface is up and the line protocol is down. What are two possible causes? (Choose two.)

- A. There is a speed or duplex mismatch with the remote device.

- B. There is a Layer 2 mismatch in the encapsulation type.
- C. The Ethernet interface has been manually disabled.
- D. Keepalives are not being received by the local device.
- E. The Ethernet cable might not be attached properly.

Correct Answer: AB

QUESTION 5

Which command displays information about the carrier network, cell site, and available service?

- A. show cellular unit network
- B. show cellular unit radio
- C. show cellular unit hardware
- D. show cellular unit profile

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/td/docs/solutions/Verticals/EE/IG-WAN/EE-WAN-IG/EE-WANIGch2.html>

[100-490 PDF Dumps](#)

[100-490 Exam Questions](#)

[100-490 Braindumps](#)