

101-01^{Q&As}

Riverbed Certified Solutions Associate

Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/101-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A customer is marking QoS between the Steelhead appliances based on the application (port number) and IP addresses being used. What is the recommended WAN visibility mode?

- A. Tunnel mode
- B. Port Transparency
- C. Full Transparency
- D. SSL mode

Correct Answer: C

QUESTION 2

What are two methods that can be configured to provide location awareness for a Steelhead Mobile client? (Select 2)

- A. Adapter based configuration
- B. Fixed-target rule
- C. In-path rule
- D. Latency detection

Correct Answer: AD

QUESTION 3

When would you use the SCPS optimization feature?

- A. It should be used on slow packet switched networks.
- B. When a firewall is present between two SteelHeads.
- C. When satellite links exist between SteelHeads
- D. On very low latency WAN links

Correct Answer: C

SCPS is primarily used in the US DOD market for multi-vendor interoperability. It primarily provides TCP Optimization with a focus on satellite networks (high latency and loss) which the Steelhead already has several flavors built in (New Reno, HS-TCP and MX-TCP).

References: <https://splash.riverbed.com/thread/2209>

QUESTION 4

Which feature is highly recommended when deploying Steelhead Mobile?

- A. Automatic peering (using enhanced auto-discovery) enabled on Steelhead appliances
- B. Connection forwarding (using port 7850 for neighbor relationships) on Steelhead appliances
- C. Pass-through rules to minimize overlapping opens
- D. Fixed-target rules directed to port 7850 of all branch office Steelhead appliances

Correct Answer: A

QUESTION 5

In a single in-path design, in order for CIFS prepopulation to properly function at a branch office, the Primary interface of the Steelhead appliance must be:

- A. On the LAN side branch office Steelhead
- B. Directly connected to the AUX interface
- C. On the same switch as the WAN side interface
- D. In the same subnet as the file server

Correct Answer: A

[101-01 VCE Dumps](#)

[101-01 Study Guide](#)

[101-01 Exam Questions](#)