

101-01^{Q&As}

Riverbed Certified Solutions Associate

Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/101-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Assuming the Steelhead appliance has a 250 GB datastore capacity, by enabling RSP on a supported Steelhead appliance which of the following would be true:

- A. The datastore capacity will shrink due to the amount of space used by RSP
- B. The datastore capacity will grow due to the amount of space added by RSP
- C. The datastore capacity does not change
- D. The datastore capacity will have to be reformatted

Correct Answer: C


QUESTION 2

Which SteelHead domain authentication features can be used to optimize signed SMB traffic or encrypted MAPI traffic? (Choose two.)?

- A. Transient mode
- B. Domestic mode
- C. Transparent mode
- D. Delegation mode

Correct Answer: CD

Configure the Steelhead appliance to optimize Secure Windows traffic Configuration steps for Signed SMB and Signed SMB2 3.2.1 On the server-side Steelhead navigate to Configure > Optimization > CIFS (SMB1). 3.2.2 Under the SMB Signing section, check the `Enable SMB Signing` checkbox 3.2.3 Ensure the `NTLM Transparent Mode` option is selected



Note: NTLM Delegation can also be used.

Etc.

Similar Configuration steps for Encrypted MAPI.

References: Optimization in a Secure Windows Environment, White Paper , pages 35-36 https://support.riverbed.com/download.htm?filename=public/doc/technotes/Windows_security_guide.pdf

QUESTION 3

A SteelHead is joined to a Windows Active Directory domain using the administrator password. In order to optimize SMB2 traffic, which of the following is true?

- A. SMB2 optimizations must be enabled on the server-side SteelHead only.
- B. A delegation or replication account must be configured on both the client-side and server-side SteelHead.
- C. SMB2 optimizations must be enabled on both the client-side and server side SteelHeads.
- D. A delegation or replication account must be configured on client-side Steel Head

Correct Answer: B

1.6 Configure the Steelhead appliance to optimize Signed SMB and Encrypted MAPI 1.6.1 - Configuration steps for Signed SMB, Signed SMB2 and Signed SMB3 1.6.1.3 On the server-side Steelhead appliance, navigate to Configure > Optimization > SMB2.

1.6.1.4 Under the SMB Signing, check the `Enable SMB Signing` checkbox. 1.6.1.5 Next select the `Delegation Mode` radio button.

1.6.1.6 Click the `Apply` button.

1.6.1.7 No changes are needed on the client-side Steelhead appliance(s) unless SMB3 optimization is required.

References: Optimization in a Secure Windows Environment, White Paper , page 16 https://support.riverbed.com/download.htm?filename=public/doc/technotes/Windows_security_guide.pdf

QUESTION 4

Which of the following reflects the primary benefit of configuring CIFS prepopulation on a Steelhead appliance?

- A. Prelearning different CIFS dialects on the network
- B. Prewarming the datastore
- C. CIFS management reporting
- D. Management Streamlining

Correct Answer: B

QUESTION 5

A Steelhead appliance can synchronize its datastore with a maximum of how many other Steelhead appliances?

- A. 1

B. 2

C. 3

D. 4

Correct Answer: A

[101-01 PDF Dumps](#)

[101-01 VCE Dumps](#)

[101-01 Practice Test](#)