

156-915.80^{Q&As}

Check Point Certified Security Expert Update - R80.10

Pass CheckPoint 156-915.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/156-915-80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following is NOT defined by an Access Role object?

- A. Source Network
- B. Source Machine
- C. Source User
- D. Source Server

Correct Answer: D

QUESTION 2

Which statements below are CORRECT regarding Threat Prevention profiles in SmartConsole?

- A. You can assign only one profile per gateway and a profile can be assigned to one rule Only.
- B. You can assign multiple profiles per gateway and a profile can be assigned to one rule only.
- C. You can assign multiple profiles per gateway and a profile can be assigned to one or more rules.
- D. You can assign only one profile pre gateway and a profile can be assigned to one or more rules.

Correct Answer: C

QUESTION 3

Which Check Point address translation method is necessary if you want to connect from a host on the Internet via HTTP to a server with a reserved (RFC 1918) IP address on your DMZ?


- A. Dynamic Source Address Translation
- B. Hide Address Translation
- C. Port Address Translation
- D. Static Destination Address Translation

Correct Answer: D

QUESTION 4

You have three servers located in a DMZ, using private IP addresses. You want internal users from 10.10.10.x to access the DMZ servers by public IP addresses. Internal_net 10.10.10.x is configured for Hide NAT behind the Security

Gateway's external interface.



What is the best configuration for 10.10.10.x users to access the DMZ servers, using the DMZ servers' public IP addresses?

- A. When connecting to internal network 10.10.10.x, configure Hide NAT for the DMZ network behind the Security Gateway DMZ interface.
- B. When the source is the internal network 10.10.10.x, configure manual static NAT rules to translate the DMZ servers.
- C. When connecting to the Internet, configure manual Static NAT rules to translate the DMZ servers.
- D. When trying to access DMZ servers, configure Hide NAT for 10.10.10.x behind the DMZ's interface.

Correct Answer: B

QUESTION 5

Return oriented programming (ROP) exploits are detected by which security blade?

- A. Check Point Anti-Virus / Threat Emulation
- B. Intrusion Prevention Software
- C. Application control
- D. Data Loss Prevention

Correct Answer: A