

1Z0-869^{Q&As}

Java Mobile Edition 1 Mobile Application Developer Certified
Professional Exam

Pass Oracle 1Z0-869 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-869.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given the MIDlet code:

```
3.  
public void go() {  
4.  
try {  
5.  
doStuff();  
6.  
} catch(java.lang.IllegalAccessException e) {  
7.  
aForm.append("An Error");  
8.  
}  
9.  
}
```

Assuming the aForm variable on line 7 is a correctly initialized Form and set to the current display, what is the result?

- A. An Error is printed to the display if an IllegalAccessException occurs.
- B. Compilation fails due to a problem on line 7.
- C. The MIDlet fails at runtime due to a problem on line 6.
- D. The MIDlet fails at runtime due to a problem on line 7.
- E. Compilation fails due to a problem on line 6.

Correct Answer: E

QUESTION 2

What are two benefits of the PushRegistry? (Choose two.)

- A. It provides a way for the AMS to automatically invoke a MIDlet at a specified time if it is not already running.

- B. It provides a way for an incoming connection to invoke a MIDlet that can handle the content sent by the connection.
- C. It provides a way for two MIDlet suites running on the same device to discover and communicate with each other in a secure manner.
- D. It provides a way to restrict HTTP connections to well-known network addresses.

Correct Answer: AB

QUESTION 3

Which are valid states for an HttpURLConnection?

- A. setup, connected, closed
- B. created, active, closed
- C. connected, disconnected
- D. started, paused, destroyed

Correct Answer: A

QUESTION 4

What are the rules for the look and feel of the user interface components?

- A. The user interface always looks exactly as it does in the MIDP Reference Implementation.
- B. The user interface look and feel may be drastically different on different devices.
- C. The dimensions of all the user components are always the same on any device, even if they look different.
- D. The user interface is always in monochrome, so the developer should NOT use color.

Correct Answer: B

QUESTION 5

Given:

10.

```
public class ExampleMIDlet extends MIDlet {
```

11.

```
//...
```

20.

```
public boolean hasCompleted() {
```

21.

```
//...
```

30.

```
}
```

31.

```
public boolean isLowOnMemory() {
```

32.

```
//...
```

40.

```
}
```

41.

```
public void destroyApp(boolean arg) {
```

42.

```
if (X) throw new MIDletStateChangeException();
```

43.

```
}
```

44.

```
//...
```

50. }

Which substitution for X conforms to the MIDP specification?

A. !hasCompleted()

B. !arg

C. !arg || !hasCompleted()

D. true

E. arg andand isLowOnMemory()

F. isLowOnMemory()

Correct Answer: B

[Latest 1Z0-869 Dumps](#)

[1Z0-869 PDF Dumps](#)

[1Z0-869 Practice Test](#)