

1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Administrator manages a Citrix SDX appliance with several instances configured. The administrator needs to enable Layer 2 mode on two instances. When using a shared network interface, what must the administrator do to ensure that traffic flows correctly?

- A. Ensure Layer 3 and Layer 2 modes are enabled.
- B. Enable tagging on all interfaces.
- C. Enable MAC-based forwarding (MBF) mode.
- D. Disable Layer 2 mode on a Citrix ADC instance.

Correct Answer: C

QUESTION 2

Scenario: The primary content switching vServer has gone down. To troubleshoot, a Citrix Administrator has issued the following command: > show csvserver CSV CSV (10.1.100.100:443) ?HTTPS Type: CONTENT State: UP Last state change was at Mon Jun 29 15:20:43 2020 Time since last state change: 1 day, 06:47:58 610 Client Idle Timeout: 180 sec Down state flush: ENABLED Disable Primary vServer On Down: DISABLED Appflow logging: ENABLED Port Rewrite: DISABLED State Update: DISABLED Default: Content Precedence: URL vServer IP and Port insertion: OFF Persistence: NONE redirect: http://www.site1.com/mysite1/maintenance Backup: vServer-LB-2 Listen Policy: NONE IcmpResponse: PASSIVE RHIstate: PASSIVE Traffic Domain: 0 Based on this output, where will the subsequent request be redirected?

- A. http://www.site1.com/mysite1/maintenance
- B. vServer-LB-2
- C. Backup content switching vServer
- D. 10.1.100.100:443

Correct Answer: B

<https://docs.citrix.com/en-us/citrix-adc/current-release/content-switching/protecting-against-failure.html#configuring-a-redirection-url> "If a content switching virtual server is configured with both a backup virtual server and a redirect URL, the backup virtual server takes precedence over the redirect URL. A redirect URL is used when the primary and backup virtual servers are down."

QUESTION 3

Scenario: A Citrix Administrator configured an authentication, authorization, and auditing (AAA) policy to allow users access through the Citrix ADC. The administrator bound the policy to a specific vServer. Which policy expression will allow all users access through the vServer?

- A. true
- B. false

C. ns_true

D. ns_false

Correct Answer: C

Tricky one, this is for 13.1 and classic still is mandatory for AAA until 2023 (with exceptions on Traffic policy)

<https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/advanced-policy-infrastructure.html> <https://docs.citrix.com/en-us/citrix-adc/current-release/aaa-tm/entities-of-authenticationauthorization-auditing/authentication-policies.html>

QUESTION 4

A Citrix Administrator needs to configure a rate-limiting policy setting DNS requests to a threshold of 1,000 per second. Which command does the administrator need to run to correctly configure this policy?

A. HTTP.REQ.LIMIT()

B. SYS.CHECK.LIMIT()

C. SYS.CHECK.LIMIT() || CONNECTION.IP.LIMIT()

D. SYS.CHECK.LIMIT() || HTTP.REQ.LIMIT()

Correct Answer: B

<https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/rate-limiting/configuring-binding-traffic-rate-policy1.html>
<https://discussions.citrix.com/topic/398863-netscaler-rate-limiting-policy/>

QUESTION 5

Scenario: A Citrix Administrator executed the following commands on the Citrix ADC: > add policy dataset Admin_group ipv4 > bind policy dataset Admin_group 192.168.149.10 -index 11 > bind policy dataset Admin_group 192.168.149.39 -index 12 > bind policy Admin_group 192.168.149.49 -index 13 > add responder policy POL_1 "!(CLIENT.IP.SRC.TYPECAST_TEXT_T.CONTAINS_ANY("Admin_group\"))" RESET > bind lb vServer lb_vsrv_www -policyName POL_1 -priority 100 -gotoPriorityExpression END -type REQUEST What will be the effect of these commands?

A. Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be allowed to connect to vServer lb_vsrv_www.

B. Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked when attempting to connect to vServer lb_vsrv_www.

C. Only users with a source IP address of 192.168.149.10 or 192.168.149.39 will be allowed to connect to vServer lb_vsrv_www.

D. All traffic from users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked through the Citrix ADC.

Correct Answer: A

[1Y0-241 VCE Dumps](#)

[1Y0-241 Exam Questions](#)

[1Y0-241 Braindumps](#)