

# 1Y0-402<sup>Q&As</sup>

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

## Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/1y0-402.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has identified the User Layer requirements, as shown in the Exhibit. Click the Exhibit button to view the requirements.

| User Group       | User Devices  | Connection<br>Point      | Security Requirements   |  |  |
|------------------|---|--------------------------|---|--|--|
| Accountants      | Corporate-owned desktops, laptops                       | Internal and<br>External | Should NOT be permitted to access payroll and<br>e-banking apps outside the corporate network   |  |  |
| Sales Associates | BYOD<br>smartphones,<br>tablets                         | Internal and<br>External | Have access to customer data and pricing information  |  |  |
| Customers        | Public kiosks   | Internal                 | Use kiosks to access a published app hosted by a group of servers in an isolated network segment  Should NOT have knowledge of Workspace Services credentials |  |  |
| Contractors      | ractors BYOD desktops, External Should NOT Services cre |                          | Should NOT have knowledge of Workspace<br>Services credentials and must supply their own<br>authentication provider   |  |  |

Additionally, management at the organization has identified the following general Access Layer requirements:

A multi-factor authentication method is required for any connections to the XenApp and XenDesktop environment originating from outside the corporate network.

External connections must be authenticated by a NetScaler Gateway virtual server located in a DMZ network.

Internal connection traffic should NOT leave the internal corporate network.

Which Access Layer feature should the architect configure to meet the security requirements of the

A. SmartControl

Accountants group?

- B. Endpoint analysis scan
- C. SmartAccess



### https://www.pass2lead.com/1y0-402.html

2024 Latest pass2lead 1Y0-402 PDF and VCE dumps Download

D. Federated Authentication Service

Correct Answer: A

#### **QUESTION 2**

Scenario: A Citrix Architect is designing a new XenApp and XenDesktop environment and needs to determine which endpoints to include. Based on discussions with various departments, the user requirements listed in the Exhibit were collected.

Click the Exhibit button to view the requirements.

| User Group             | Typical<br>Location | High<br>Security<br>User<br>Group? | FlexCast<br>Model Used                     | Peripheral<br>Requirements  | User Mobility | User<br>Workload |
|------------------------|---------------------|------------------------------------|--|-----------------------------|---------------|------------------|
| Finance                | Internal            | Yes                                | Published apps                             | None                        | None          | Low              |
| Product<br>Development | Internal            | Yes                                | Static,<br>persistent<br>hosted<br>desktop | USB Printers                | None          | High             |
| Sales                  | Roaming             | No                                 | Published<br>apps and<br>desktops          | USB Printers,<br>Projectors | High          | Medium           |

In addition to the user requirements, the architect must address the organizational requirement of minimizing endpoint management effort.

Which endpoint type should the architect use for the Sales group, based on the requirements?

- A. Corporate-owned smartphone
- B. BYOD smartphone
- C. Corporate-owned laptop/notebook
- D. Corporate-owned thin client
- E. BYOD laptop/notebook

Correct Answer: B

#### **QUESTION 3**

Scenario: A Citrix Architect is designing an environment for a large company. The company has identified the following user groups and requirements.

Product Managers - Typically, they work from inside the company network but are able to work from home.

#### https://www.pass2lead.com/1y0-402.html

2024 Latest pass2lead 1Y0-402 PDF and VCE dumps Download

They need to use a variety of standard productivity and web-based SaaS applications.

Field Sales Engineers - They frequently work with mobile devices and tend to access the environment externally. They need access to sales tools and the front-end of the customer database.

Web Developers - Internal and remote workers who use specialized hardware with a graphics card to handle resource-intensive applications.

Which FlexCast model should the architect assign to Field Sales Engineers?


- A. Published Apps
- **B.** Hosted Applications
- C. Hosted VDI
- D. Published Desktops

Correct Answer: B

#### **QUESTION 4**

Scenario: A Citrix Architect is assessing a Provisioning Services farm. The farm has access to one Store; the vDisks in the Store are shown in the Exhibit.

Click the Exhibit button to view the vDisks.





https://www.pass2lead.com/1y0-402.html 2024 Latest pass2lead 1Y0-402 PDF and VCE dumps Download

| How much RAM should the architect allocate vDisk data while NOT over-provisioning reso   |  | s servers to optimally cache existing                          |
|--|--|--|
| A. 14 GB   |  |  |
| B. 17 GB   |  |  |
| C. 12 GB   |  |  |
| D. 9 GB  |  |  |
| Correct Answer: D  |  |  |
| QUESTION 5  Scenario: A Citrix Architect needs to design a company requires a highly available StoreFrouser has 50 resources available. The company requires a variable of the company requires | ont design for 40,000 users. Each log<br>ny only has one datacenter. | gs on once per hour, and the average                           |
| The architect should recommend configuring andGB of RAM when all the coto complete the sentence.)  |  | servers, each withvCPUs er for Web. (Choose the correct option |
| A. 2; 4; 4   |  |  |
| B. 4; 2; 4   |  |  |
| C. 2; 4; 6   |  |  |
| D. 4; 2; 2   |  |  |
| Correct Answer: A  |  |  |
| Latest 1Y0-402 Dumps   | 1Y0-402 VCE Dumps  | 1Y0-402 Exam Questions   |