

1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.

Topic	Requirements
User experience	Once the user authenticates, they should be directed to a custom home page with the available RDP bookmarks. When a bookmark is clicked, an RDP connection to the backend machine will be established.
Additional considerations	Ensure that users can receive the most optimal RDP connection to backend machines located in different locations.

To meet the customer requirements, the architect should deploy the RDP proxy through _____ using a _____ solution. (Choose the correct option to complete the sentence.)

- A. CVPN: single gateway
- B. CVPN, stateless gateway
- C. ICAProxy: single gateway
- D. ICAProxy; stateless gateway

Correct Answer: C

QUESTION 2

Scenario: A Citrix Architect has deployed Authentication for the SharePoint server through NetScaler. In order to ensure that users are able to edit or upload documents, the architect has configured persistent cookies on the NetScaler profile.

Which action should the architect take to ensure that cookies are shared between the browser and non-browser applications?

- A. The time zone should be the same on the NetScaler, client, and SharePoint server.
- B. The SharePoint load-balancing VIP FQDN and the AAA VIP FQDN should be in the trusted site of the client browser.
- C. The Secure flag must be enabled on the cookie.
- D. The cookie type should be HttpOnly.

Correct Answer: B

Reference: <https://support.citrix.com/article/CTX209054>

QUESTION 3

Which parameter indicates the number of current users logged on to the NetScaler gateway?

- A. ICA connections
- B. Total Connected Users
- C. Active user session
- D. Maximum User session

Correct Answer: C

QUESTION 4

Scenario: A Citrix Architect needs to assess an existing NetScaler configuration. The customer recently found that members of certain administrator groups were receiving permissions on the production NetScaler appliances that do NOT align with the designed security requirements.

Click the Exhibit button to view the configured command policies for the production NetScaler deployment.

Requirements
<ul style="list-style-type: none"> • The "NetScalerAdmins" group should have full access except shell and user configs. • The "Level2Support" group should have read-only access, except for enable/disable servers/services. • The "NetScalerArchitect" user, which is part of the "NetScalerAdmins" group, should have full access. • the "Level2Manager" user, which is part of the "Level2Support" group, should have full access except set/unset SSL and configurations.
Configurations

Name	Type	Bind Point	Action	Commands Spec	Priority
Item 1	Command Policy	"NetScaler Admins" group	ALLOW	^(?!shell)(?!sftp)(?!scp)(?!batch)(?!source)(?!.*superuser)(?!.*nsroot)(?!show\s+system\s+(user cmdPolicy))(?!(set add rm create export kill)\s+system)(?!unbind bind)\s+system\s+(user group)(?!diff\s+ns\s+ns\s+config)(?!S\s+ns\s+partition).*	1
Item 2	Command Policy	"NetScaler" group	DENY	.*	2
Item 3	Command Policy	"Level2Support" group	ALLOW	(^main.*)(^show\s+(?!system)(?!configstatus)(?!nsns\.conf)(?!ns savedconfig)(?!ns runningConfig)(?!gslbrunningConfig)(?!audit messages)(?!techsupport).*) (^\stat.*) (^\(enable disable)(server service).*)	1
Item 4	Command Policy	"Level2Support" group	DENY	.*	2
Item 5	Command Policy	"NetScalerArchitect" User	ALLOW	.*	1
Item 6	Command Policy	"Level2Manager" User	ALLOW	(^main.*) (^\show\s+(?!system)(?!configstatus)(?!nsns\.conf)(?!ns savedconfig)(?!ns runningConfig)(?!gslbrunningConfig)(?!audit messages)(?!techsupport).*) (^\stat.*)	1

To align the command policy configuration with the security requirements of the organization, the _____ for _____ should change. (Choose the correct option to complete the sentence.)

- A. command spec; item 3
- B. priority; Item 5
- C. action; Item 1
- D. priority; Item 2
- E. action; Item 4
- F. command spec; Item 6

Correct Answer: D

QUESTION 5

Scenario: A Citrix Architect needs to design a new multi-datacenter NetScaler deployment. The customer wants NetScaler to provide access to various backend resources by using Global Server Load Balancing

(GSLB) in an Active-Active deployment.

Click the Exhibit button to view additional requirements identified by the architect.

GSLB Requirements
<ul style="list-style-type: none">• Users should be directed to the nearest available datacenter when they initiate a connection to a backend resource.• The nearest datacenter should be determined by the least Time to First Byte (TTFB) among all the available services, as evidenced by response code 200.• Services with fewer active connections should also be prioritized.

Which GSLB algorithm or method should the architect use for the deployment, based on the stated requirements?

- A. Dynamic round trip time (RTT)
- B. Least response time
- C. Static proximity
- D. least connection
- E. Least packets
- F. Source IP hash

Correct Answer: B

Reference: <https://docs.citrix.com/en-us/netscaler/12/global-server-load-balancing/methods/configuringalgorithm-based-methods.html>

[1Y0-440 Practice Test](#)

[1Y0-440 Study Guide](#)

[1Y0-440 Braindumps](#)