

# 1Z0-1089-20<sup>Q&As</sup>

Oracle Cloud Infrastructure 2020 HPC and Big Data Solutions  
Associate

**Pass Oracle 1Z0-1089-20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-1089-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What minimum size of block volume with Balanced performance tier maximizes throughput for large files?

- A. 10TB
- B. 1TB
- C. 32TB
- D. 100GB

Correct Answer: C

---

**QUESTION 2**

What does the Terasort phase of the Terasort benchmark do?

- A. It maps and reduces source data in a parallel manner, leveraging data locality to minimize network transfer.
- B. It randomly maps source data and reduces output to a smaller data set,
- C. It maps and reduces one terabyte of data into a smaller data set.
- D. It randomly maps source data and increases output to a bigger data set.

Correct Answer: B

---

**QUESTION 3**

You have an HPC cluster running tightly coupled MPI jobs without VPN or Fast Connect. The compute nodes are on subnet2(172.16.1.0/24), and there is a BM.Dense.I02.8 on subnet1 (172-16.0.0/24) that will serve as a bastion and file server.

What security lists should you choose to be able to run the workloads while limiting access as possible?

- A. Subnet1: 0.0.0.0 for TCP port 22, subnet 1 and 2: 172.16.0.0/23 for all protocols
- B. Subnet1: 0.0.0.0 for all protocols, subnet2: 172.16.0-0/16 for all protocols
- C. Subnet1: 172.16.1.0/24 for port 22, subnet2: 172.16.1.0/24 for all protocols
- D. Subnet1: 0.0.0.0 for TCP port 27, subnet 7: 172.16.0.0/16 for TCP port 22

Correct Answer: B

---

**QUESTION 4**

When an instance pool scales in, what is the correct order that the instances are terminated?

- A. The number of instances is balanced across availability domains, the oldest instance within the fault domain is terminated, the number of instances is balanced across fault domains.
- B. The number of instances is balanced across availability domains, the number of instances is balanced across fault domains, the oldest instance within the fault domain is terminated.
- C. The oldest instance within the fault domain is terminated, the number of instances is balanced across availability domains, the number of instances is balanced across fault domains.
- D. The number of instances is balanced across fault domains, the number of instances is balanced across fault domains, the oldest instance within the fault domain is terminated.

Correct Answer: B

---

#### QUESTION 5

You are building a RDMA cluster on a private network with 10000 cores. What CIDR will work in the VCN: 172.16.0.0/16?

- A. 172.16.32.0/23
- B. 10.0.1.0/23
- C. 172.16.32,0/16
- D. 10.0.1.0/24

Correct Answer: A

[Latest 1Z0-1089-20 Dumps](#)

[1Z0-1089-20 Practice Test](#)

[1Z0-1089-20 Exam Questions](#)