

1Z0-148^{Q&As}

Oracle Database: Advanced PL/SQL

Pass Oracle 1Z0-148 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-148.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In which two situations is the body of a result-cached function executed? (Choose two.)

- A. if the memory allocated for the result cache is increased
- B. if a session on this database instance invokes the function with the same parameter values
- C. if the first time a session on this database instance invokes the function with a parameter value
- D. if a session executes a data manipulation language (DML) statement on a table or view that was specified in the RELIES_ON clause of a result-cached function

Correct Answer: CD

QUESTION 2

Which two statements are true about the working of fine-grained access? (Choose two.)

- A. Security policies can be associated only with tables, but not with views.
- B. Different policies can be used for SELECT, INSERT, UPDATE, and DELETE statements.
- C. User statements are dynamically modified by the Oracle server through a security policy function.
- D. Fine-grained access control policies always remain in effect until they are dropped from a table or view.

Correct Answer: BC

QUESTION 3

Which two statements are true about REF CURSOR types? (Choose two.)

- A. REF CURSOR types cannot be defined inside a package.
- B. SYS_REFCURSOR can be used to declare cursor variables in stored procedures and functions.
- C. A REF CURSOR return type can be declared using %TYPE, or %ROWTYPE, or a user-defined record.
- D. Only a weak REF CURSOR type can be used as a formal parameter of a stored procedure or function.

Correct Answer: BC

QUESTION 4

Examine this PL/SQL function:

```
CREATE FUNCTION compare_numbers (p1 NUMBER,  
                                p2 NUMBER)  
  
    RETURN NUMBER  
    AUTHID CURRENT_USER  
IS  
BEGIN  
    IF p1>p2 THEN  
        RETURN 1;  
    ELSIF p1<p2 THEN  
        RETURN -1;  
    ELSE  
        RETURN 0;  
    END IF;  
    RETURN 99;  
END;  
/
```

What happens when the function is created with PLSQL_WARNINGS set to 'ENABLE: ALL'?

- A. There are no compilation warnings or errors.
- B. It fails compilation.
- C. An information compilation warning is generated.
- D. A performance compilation warning is generated.
- E. A severe compilation warning is generated.

Correct Answer: E

QUESTION 5

Which two queries' results cannot be cached? (Choose two.)

- A. queries having the GROUP BY clause
- B. queries having the ORDER BY clause
- C. the query on dictionary and temporary tables
- D. queries having SYSDATE and SYS_TIMESTAMP SQL functions

Correct Answer: CD

[1Z0-148 VCE Dumps](#)

[1Z0-148 Practice Test](#)

[1Z0-148 Study Guide](#)