

1Z0-479^{Q&As}

Oracle Access Management Suite Plus 11g Essentials

Pass Oracle 1Z0-479 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-479.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statements are true about Oracle Access Manager 11g data sources?

- A. A system Store is optional.
- B. Embedded LDAP is configured as the default User Identity Store for Oracle Access Management.
- C. Only one User Identity Store can and must be designated as the System Store.
- D. You can define as many User Identity Stores as the System Store.
- E. A system Store contains policy data, including password management data.

Correct Answer: BC

QUESTION 2

What are the three main roles that can be adopted by Oracle Access Management and Oracle Fusion Middleware components when using the Identity Context?

- A. Publisher
- B. Consumer
- C. Propagator
- D. Generator
- E. Evaluator
- F. Authorizer

Correct Answer: ACE

QUESTION 3

You have configured a new pattern in Oracle Adaptive Access Manager (OAAM) to capture login times of devices. Your customer wants to ensure that devices that are used outside their normal times are blocked.

After creating your pattern, which two additional steps must you perform to configure OAAM to meet this requirement?

- A. Create a transaction definition for the pattern.
- B. Create a new rule in an existing policy that contains an appropriate condition to evaluate your new pattern.
- C. Link your chosen policy to the appropriate user groups.
- D. Configure a block action for your new rule.
- E. Restart the OAAM Managed Server for the pattern to take effect.

Correct Answer: AE

QUESTION 4

What would you need to configure to use Oracle Adaptive Access Manager (OAAM) along with Mobile Single Sign-On, by using Oracle Access Management Mobile services?

- A. An appropriate security handler plug-in name needs to be configured for the Mobile Service domain to use OAAM.
- B. An authentication scheme needs to be configured for the Mobile Service domain to reflect OAAM use.
- C. A separate application profile needs to be created for OAAM.
- D. The Mobile Service domain needs to specify a configuration for OAAM.

Correct Answer: B

QUESTION 5

You are configuring Oracle Entitlements Server (OES) and have a requirement to make a connection to an external Policy Information Point (PIP) in order to retrieve an attribute for use in a condition.

You need to modify the security module configuration to configure the PIP. Which two options do you have for making this modification?

- A. Configure the PIP settings in your OES policy and distribute it to each security module as part of the policy distribution.
- B. Manually edit thejps-config.xmlfile on each security module.
- C. Use the OES admin console to define the PIP settings and write them to a database for each security module to retrieve during bootstrap.
- D. Use the SMConfig UI to configure the settings.

Correct Answer: BD

[Latest 1Z0-479 Dumps](#)

[1Z0-479 PDF Dumps](#)

[1Z0-479 Practice Test](#)