

1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given the code fragment:

```
Deque<String> queue = new ArrayDeque<> ();  
queue.add("Susan");  
queue.add("Allen");  
queue.add("David");  
System.out.println(queue.pop());  
System.out.println(queue.remove());  
System.out.println(queue);
```

What is the result?

- A. David David [Susan, Allen]
- B. Susan Susan [Susan, Allen]
- C. Susan Allen [David]
- D. David Allen [Susan]
- E. Susan Allen [Susan, David]

Correct Answer: C

```
1 import java.util.ArrayDeque;
2
3 public class Program {
4     public static void main(String[] args) {
5
6         ArrayDeque<String> queue = new ArrayDeque<>();
7         queue.add("Susan");
8         queue.add("Allen");
9         queue.add("David");
10        System.out.println(queue.pop());
11        System.out.println(queue.remove());
12        System.out.println(queue);
13    }
14 }
15
16
```

CommandLine Arguments ...

Stdin Inputs...

 Execute  Save

Result...

CPU Time: 0.16 sec(s), Memory: 29452 kilobyte(s)

```
Susan
Allen
[David]
```

QUESTION 2

Given:

```
class Student {
```

```
String course, name, city;
```

```
public Student (String name, String course, String city) {
```

```
this.course = course; this.name = name; this.city = city;

}

public String toString() {

return course + ":" + name + ":" + city;

}
```

and the code fragment:

```
List stds = Arrays.asList(

new Student ("Jessy", "Java ME", "Chicago"),

new Student ("Helen", "Java EE", "Houston"),

new Student ("Mark", "Java ME", "Chicago"));

stds.stream()

.collect(Collectors.groupingBy(Student::getCourse))

.forEach(src, res) -> System.out.println(src));
```

What is the result?

- A. [Java EE: Helen:Houston] [Java ME: Jessy:Chicago, Java ME: Mark:Chicago]
- B. Java EE Java ME
- C. [Java ME: Jessy:Chicago, Java ME: Mark:Chicago] [Java EE: Helen:Houston]
- D. A compilation error occurs.

Correct Answer: B

QUESTION 3

Which statement is true about the single abstract method of the `java.util.function.Function` interface?

- A. It accepts one argument and returns void.
- B. It accepts one argument and returns boolean.
- C. It accepts one argument and always produces a result of the same type as the argument.
- D. It accepts an argument and produces a result of any data type.

Correct Answer: D

QUESTION 4

Given:

```
final class Folder { //line n1 //line n2 public void open () {  
    System.out.print("Open");  
} } public class Test {  
    public static void main (String [] args) throws Exception { try (Folder f = new Folder()) { f.open(); } }
```

Which two modifications enable the code to print Open Close? (Choose two.)

- A. Replace line n1 with: class Folder implements AutoCloseable {
- B. Replace line n1 with: class Folder extends Closeable {
- C. Replace line n1 with: class Folder extends Exception {
- D. At line n2, insert: final void close () { System.out.print("Close"); }
- E. At line n2, insert:

```
public void close () throws IOException {  
    System.out.print("Close");  
}
```

Correct Answer: AE

QUESTION 5

Given the code fragments:

```
public class Book implements Comparator {  
    String name;  
    double price;  
    public Book () {}  
    public Book(String name, double price) {  
        this.name = name;  
        this.price = price;  
    }  
    public int compare(Book b1, Book b2) {  
        return b1.name.compareTo(b2.name);
```

```
}  
  
public String toString() {  
  
return name + ":" + price;  
  
}  
  
}
```

and

```
Listbooks = Arrays.asList (new Book ("Beginning with Java", 2), new book ("A  
Guide to Java Tour", 3));  
  
Collections.sort(books, new Book());  
  
System.out.print(books);
```

What is the result?

- A. [A Guide to Java Tour:3.0, Beginning with Java:2.0]
- B. [Beginning with Java:2, A Guide to Java Tour:3]
- C. A compilation error occurs because the Book class does not override the abstract method compareTo ().
- D. An Exception is thrown at run time.

Correct Answer: A

[1Z0-809 VCE Dumps](#)

[1Z0-809 Practice Test](#)

[1Z0-809 Braindumps](#)