

1Z0-815^{Q&As}

Java SE 11 Programmer I

Pass Oracle 1Z0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Given the code fragment:

```
int x = 0;
do {
    x++;
    if (x == 1) {
        continue;
    }
    System.out.println(x);
} while(x < 1);
```

What is the result?

- A. 0
- B. 0
- C. 1
- D. The program prints nothing.
- E. It prints 1 in the infinite loop.

Correct Answer: D

QUESTION 2

Given: Which two changes need to be made to make this class compile? (Choose two.)

```
public interface API { //line 1
    public void checkValue(Object value)
        throws IllegalArgumentException; //line 2
    public boolean isValueANumber(Object val) {
        if(val instanceof Number) {
            return true;
        }else {
            try {
                Double.parseDouble(val.toString());
                return true;
            }catch (NumberFormatException ex) {
                return false;
            }
        }
    }
}
```

- A. Change Line 1 to an abstract class: public abstract class API {
- B. Change Line 2 access modifier to protected: protected void checkValue(Object value) throws IllegalArgumentException;
- C. Change Line 1 to a class: public class API {
- D. Change Line 1 to extend java.lang.AutoCloseable: public interface API extends AutoCloseable {
- E. Change Line 2 to an abstract method: public abstract void checkValue(Object value) throws IllegalArgumentException;

Correct Answer: CE

QUESTION 3

Given:

```
public class Main {
    public static void main(String[] args) {
        int i = 1;
        for(String s : args) {
            System.out.println((i++) + " " + s);
        }
    }
}
```

executed with this command:

```
java Main one two three
```

What is the output of this class?

- A. The compilation fails.
- B. 1) one 2) two 3) three
- C. A java.lang.ArrayIndexOutOfBoundsException is thrown.
- D. 1) one
- E. nothing

Correct Answer: B

QUESTION 4

Examine this excerpt from the declaration of the java.se module:

```
module java.se {
    ...
    requires transitive java.sql;
    ...
}
```

What does the transitive modifier mean?

- A. Only a module that requires the java.se module is permitted to require the java.sql module.
- B. Any module that requires the java.se module does not need to require the java.sql module.
- C. Any module that attempts to require the java.se module actually requires the java.sql module instead.
- D. Any module that requires the java.sql module does not need to require the java.se module.

Correct Answer: A

QUESTION 5

Which two statements are correct about modules in Java? (Choose two.)

- A. java.base exports all of the Java platforms core packages.
- B. module-info.java can be placed in any folder inside module-path.
- C. A module must be declared in module-info.java file.
- D. module-info.java cannot be empty.
- E. By default, modules can access each other as long as they run in the same folder.

Correct Answer: CE

Reference: <http://tutorials.jenkov.com/java/modules.html>

[1Z0-815 PDF Dumps](#)

[1Z0-815 Practice Test](#)

[1Z0-815 Study Guide](#)