

# 1Z0-996-20<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2020 Implementation Essentials

## Pass Oracle 1Z0-996-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-996-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which business object performs critical validations whenever initial measurements are loaded?

- A. D1-IMDRetry
- B. D1-GenericIMDMain
- C. D1-IMDSeeder
- D. D1-IMDPreVEE
- E. D1-IMDPeriod

Correct Answer: C

Reference: [https://docs.oracle.com/cd/E91711\\_01/PDF/MDM-SGG\\_Business\\_User\\_Guide\\_v2\\_2\\_0\\_2.pdf](https://docs.oracle.com/cd/E91711_01/PDF/MDM-SGG_Business_User_Guide_v2_2_0_2.pdf)

(83)

---

**QUESTION 2**

When configuring the Get Scalar Details usage rule, which three attributes can be defined to retrieve scalar values? (Choose three.)

- A. Unit of Measure
- B. Device ID
- C. Service Quantity Identifier
- D. Time of Use
- E. Service Point ID

Correct Answer: BDE

---

**QUESTION 3**

Which three statements are true about the different types of measuring components? (Choose three.)

- A. Seconds-per-interval (SPI) is one of the attributes of scalar measuring components.
- B. Only physical measuring components reference a device configuration.
- C. The terms register and channel are synonyms for measuring component.
- D. The measuring component types are physical, standalone, scratchpad, and TOU.
- E. Scalar measuring components contain a single measurement for an arbitrary period of time.

Correct Answer: CDE

Reference: [https://docs.oracle.com/cd/E18729\\_01/pdf/E18293\\_01.pdf](https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf) (36)

---

#### QUESTION 4

What determines an Account's Balance?

- A. the sum of all the Financial Transactions linked directly to the service agreements related to the account
- B. the amount recorded in the "Balance Due" field on an account
- C. the logic defined in a plug-in spot on the Installations Option
- D. the sum of all the balances recorded in the "Balance Due" field on each service agreement related to the account
- E. the sum of all the Financial Transactions linked directly to the account

Correct Answer: E

---

#### QUESTION 5

Your client has the following requirements:

Many customers are installing their own solar electrical generation equipment. When these customers generate more electricity than required for their own use, the surplus can be exported back to the power grid.

In order to measure this generation, we have installed special scalar devices. These devices have separate registers to measure the energy generated (export) and the energy received (import) from the National Grid. Both reads will be stored in kWh, but the import is subtractive and export is consumptive.

What solution should you choose to configure the measuring component types for these specific requirements?

- A. Create two service points: one for subtractive import and the other for consumptive export.
- B. Create one new measuring component type for creating two measuring components (one for import and the other for export) that will be linked to one scalar device.
- C. Create one new measuring component type for creating a new measuring component that will be linked to two different scalar devices (one for import and the other for export).
- D. Create two new measuring component types (one for subtractive import and the other for consumptive export) to enable the creation of two measuring components that will be linked to one scalar device.

Correct Answer: D

[1Z0-996-20 Practice Test](#)

[1Z0-996-20 Exam  
Questions](#)

[1Z0-996-20 Braindumps](#)