

# 2V0-71.21<sup>Q&As</sup>

Professional VMware Application Modernization

**Pass VMware 2V0-71.21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/2v0-71-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which step must be taken to enable Kubernetes auditing on a Tanzu Kubernetes cluster?

- A. Set the ENABLE\_AUDIT\_LOGGING variable to 'true' before deploying the cluster
- B. Run `systemctl start auditd` and `systemctl enable auditd` on master node
- C. Audit is enabled by default on every Tanzu cluster
- D. Edit `/etc/kubernetes/audit-policy.yaml` and set ENABLE\_AUDIT variable to '1' on master node

Correct Answer: A

---

**QUESTION 2**

How are Tanzu Kubernetes clusters upgraded?

- A. Deploy a new cluster with upgraded Kubernetes release
- B. Rolling upgrades
- C. Clusters are only upgraded offline
- D. In-place upgrade for each node

Correct Answer: B

---

**QUESTION 3**

What role is used to run cluster inspection on Tanzu Mission Control console?

- A. Cluster.edit role
- B. Credential.admin role
- C. Credential.view role
- D. Create role

Correct Answer: A

---

**QUESTION 4**

Which is the correct statement describing the characteristic of a pod?

- A. Pod is the smallest entity managed by Docker.
- B. Pod can contain only one container.

- C. Containers in a pod start and stop together.
- D. Pod is deployed directly on the virtual machine.

Correct Answer: C

---

**QUESTION 5**

What is the default authentication implemented in Tanzu Kubernetes Grid?

- A. Keycloak
- B. Vault
- C. Dex and Gangway
- D. kube-oidc-proxy

Correct Answer: B

[Latest 2V0-71.21 Dumps](#)

[2V0-71.21 Practice Test](#)

[2V0-71.21 Study Guide](#)