

2V0-72.22^{Q&As}

Professional Develop VMware Spring

Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/2v0-72-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Spring puts each bean instance in a scope. What is the default scope? (Choose the best answer.)

- A. prototype
- B. singleton
- C. request
- D. session

Correct Answer: B

Reference: <https://stackoverflow.com/questions/17599216/spring-bean-scopes>

QUESTION 2

Which statement defines a pointcut? (Choose the best answer.)

- A. A point in the execution of a program such as a method call or field assignment.
- B. An expression that selects one or more join points.
- C. A module that encapsulated advices.
- D. Code to be executed at each selected join point.

Correct Answer: B

Reference: <https://www.baeldung.com/spring-aop-pointcut-tutorial>

QUESTION 3

Which statement describes the @AfterReturning advice type? (Choose the best answer.)

- A. The advice is invoked only if the method returns successfully but not if it throws an exception.
- B. The @AfterReturning advice allows behavior to be added after a method returns even if it throws an exception.
- C. The advice has complete control over the method invocation; it could even prevent the method from being called at all.
- D. Typically used to prevent any exception, thrown by the advised method, from propagating up the call-stack.

Correct Answer: A

Reference: <https://www.amitph.com/spring-aop-afterreturning-advice>

QUESTION 4

Which dependency enables an automatic restart of the application as code is changed during development of a Spring boot configuration on a web application? (Choose the best answer.)

- A. spring-boot-devtools
- B. spring-boot-initializr
- C. spring-boot-starter-devtools
- D. spring-boot-restart

Correct Answer: A

Reference: <https://docs.spring.io/spring-boot/docs/current/reference/html/using.html>

QUESTION 5

Refer to the exhibit.

```
clientService service = applicationContext.getBean (ClientService.class);
```

It is a Java code fragment from a Spring application. Which statement is true with regard to the above example? (Choose the best answer.)

- A. This syntax is invalid because the result of the getBean() method call should be cast to ClientService.
- B. It will return a bean called ClientService regardless of its id or name.
- C. This syntax is invalid because the bean id must be specified as a method parameter.
- D. It will return a bean of the type ClientService regardless of its id or name.

Correct Answer: D

[Latest 2V0-72.22 Dumps](#)

[2V0-72.22 PDF Dumps](#)

[2V0-72.22 Study Guide](#)