300-175^{Q&As}

300-175^{Q&As}

Cisco Data Center Unified Computing

Pass Cisco 300-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/300-175.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which two actions does Cisco strongly recommend before performing a firmware upgrade on a Cisco UCS domain? (Choose two.)

A. Power on all of the servers.

B. Unbind the service templates from the server blades.

C. Back up the configuration to an all configuration backup file.

D. Discover all of the servers.

E. Back up the configuration to a logical configuration backup file.

Correct Answer: CD

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/firmware-mgmt/gui/2-2/b_GUI_Firmware_Management_22/b_GUI_Firmware_Management_22_chapter_011.pdf

QUESTION 2

When cabling a Cisco UCS 6200 Series Fabric Interconnect to disjoint Layer 2 networks, which option must be considered?

A. The fabric interconnect must be in switching mode.

B. You must first configure a LAN pin group.

C. Each VLAN is allowed across multiple disjoint uplinks.

D. Each vNIC can communicate to a single disjoint network.

Correct Answer: D

QUESTION 3

Drag Drop

Drag the characteristic on the left to the most appropriate Cisco unified Computing System 62XX Fibre Channel switching mode on the right.

Select and Place:

Drag the characteristic on the left to the most appropriate Cisco Unified Computing System 62XX Fibre Channel switching mode on the right.

NP_Port to F_Port	
No Fibre Channel domain ID	**NPV Mode**
Default zoning or zone merge	
No zoning required	
N_Port to F_Port	**Fibre Channel Switching Mode**
Fibre Channel domain ID	

Correct Answer:

Drag the characteristic on the left to the most appropriate Cisco Unified Computing System 62XX Fibre Channel switching mode on the right.

	NPV Mode
	NP_Port to F_Port
	No Fibre Channel domain ID
	No zoning required
	Fibre Channel Switching Mode
	N_Port to F_Port
	Fibre Channel domain ID
	Default zoning or zone merge

QUESTION 4

Which Cisco UCS firmwares are contained in the Cisco UCS Infrastructure software bundle? (Choose three.)

A. Cisco UCS BIOS

B. Cisco UCS fabric interconnects firmware

C. Cisco UCS adapters

D. Cisco UCS Manager

E. Cisco I/O module firmware

F. Cisco IMC

Correct Answer: BDE

QUESTION 5

You must implement a Dynamic FCoE topology that uses ECMP. Which ancillary technology do you use?

A. OTV

B. VXLAN

C. FabricPath

D. EIGRP

Correct Answer: C

300-175 VCE Dumps   300-175 Practice Test   300-175 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: