

300-625^{Q&As}

Implementing Cisco Storage Area Networking (DCSAN)

Pass Cisco 300-625 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-625.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which EtherType is used by the FCoE Initialization Protocol?

- A. 0x8913
- B. 0x8914
- C. 0xxfc0e
- D. 0x8906

Correct Answer: B

QUESTION 2

A domain ID conflict is detected on a switch. Which action resolves the issue in the shortest possible time after the preferred domain ID is changed to a static domain ID?

- A. Issue an fcdomain disruptive restart.
- B. Issue an fcdomain nondisruptive restart.
- C. Enter the commands for a VSAN suspend / no-suspend.
- D. Enter the commands to complete a domain manager fast restart.

Correct Answer: A

QUESTION 3

Refer to the exhibit.

```
switch# sh run telemetry
feature telemetry
telemetry
  destination-group 100
    ip address 192.168.1.4 port 50004 protocol gRPC encoding GPB
  destination-group 200
    ip address 192.168.1.5 port 50005 protocol gRPC encoding GPB
  sensor-group 100
    path show_stats_fc1/1
  sensor-group 200
    path show_stats_fc1/2
  subscription 100
    dst-grp 100
    snsr-grp 100 sample-interval 30000
    snsr-grp 200 sample-interval 30000
  subscription 200
    snsr-grp 100 sample-interval 30000
    snsr-grp 200 sample-interval 30000
```

A network engineer must configure the SAN telemetry streaming feature to stream statistics from a Cisco MDS 9000 Series Switch to two external receivers with the IP addresses 192.168.1.4 and 192.168.1.5. Which two configurations accomplish this configuration? (Choose two.)

- A. Add IP address 192.168.1.5 port 50005 protocol gRPC encoding GPB under destination-group 100.
- B. Add IP address 192.168.1.5 port 50005 protocol gRPC encoding GPB under destination-group 300.
- C. Add dst-grp 200 under subscription 100.
- D. Add dst-grp 300 under subscription 200.
- E. Add dst-grp 100 under subscription 200.

Correct Answer: AC

QUESTION 4

Which two steps are mutual between Cisco secure boot and UEFI secure boot? (Choose two.)

- A. bootloader
- B. operating system
- C. microloader
- D. kernel
- E. hardware anchor

Correct Answer: AB

QUESTION 5

Which configuration is always required when running the setup utility on a Cisco MDS 9000 Series Switch?

- A. administrator password
- B. management IP address
- C. active NTP server
- D. active default gateway

Correct Answer: A

[Latest 300-625 Dumps](#)

[300-625 Practice Test](#)

[300-625 Braindumps](#)