

300-630^{Q&As}

Implementing Cisco Application Centric Infrastructure - Advanced
(DCACIA)

Pass Cisco 300-630 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-630.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

DRAG DROP

An engineer must migrate servers from a legacy data center infrastructure to a Cisco ACI fabric. Drag and drop the steps from the left into the order that they must be completed on the right to ensure the least amount of downtime.

Select and Place:

Answer Area


Extend Layer 2 connectivity from the legacy infrastructure to Cisco ACI. Move servers from the legacy infrastructure to Cisco ACI leaf switches	Step 1
Shut SVI on the legacy infrastructure and enable bridge domain unicast routing on Cisco ACI	Step 2
Decommission the legacy infrastructure	Step 3
Configure Cisco ACI: Define access policies, tenants, and bridge domain with unicast routing disabled. Map each VLAN to an EPG.	Step 4

Correct Answer:

Answer Area

- Shut SVI on the legacy infrastructure and enable bridge domain unicast routing on Cisco ACI
- Configure Cisco ACI: Define access policies, tenants, and bridge domain with unicast routing disabled. Map each VLAN to an EPG.
- Extend Layer 2 connectivity from the legacy infrastructure to Cisco ACI. Move servers from the legacy infrastructure to Cisco ACI leaf switches
- Decommission the legacy infrastructure

QUESTION 2



Refer to the exhibit. A customer experiences resource overconsumption on one of its border leaf switches. Which action should be taken to reduce the consumption on this switch?

- A. Disable VRF Policy Control Enforcement
- B. Disable IP Data Plane Learning
- C. Migrate L3Outs to another switch
- D. Disable Remote EP Learning

Correct Answer: B


QUESTION 3

What is the advantage of implementing an active-active firewall cluster that is stretched across separate pods when anycast services are configured?

- A. A different MAC/IP combination can be configured for the firewall in each pod.
- B. The local pod anycast node is preferred by the local spines.
- C. A cluster can be deployed in transparent mode across pods.
- D. Local traffic in a pod is load-balanced between the clustered firewalls.

Correct Answer: A

QUESTION 4



An organization migrates its virtualized servers from a legacy environment to Cisco ACI. VM1 is incorrectly attached to PortGroup IT|3TierApp|Web. Which action limits IP address learning in BD1?

- A. Enable Enforce Subnet Check
- B. Enable Rouge Endpoint Control
- C. Enable GARP-based EP Move Detection Mode
- D. Disable Remote EP Learn

Correct Answer: C

QUESTION 5

Which firewall connection allows for the integration of service nodes in transparent mode with a Cisco ACI Multi-Pod setup?

- A. active-standby mode across pods
- B. active-active mode per pods for communication between internal endpoints
- C. active-standby mode per pods for communication between endpoints and external networks
- D. active-active mode across pods

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/solutions/collateral/data-center-virtualization/application-centric-infrastructure/white-paper-c11-739571.html> (table 1)

[Latest 300-630 Dumps](#)

[300-630 Practice Test](#)

[300-630 Study Guide](#)