4A0-102^{Q&As}

Alcatel-Lucent Border Gateway Protocol

Pass Alcatel-Lucent 4A0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/4a0-102.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which of the following AS Paths will match the regular expression "65100."?

A. "65100"

B. "65100 65200\\'\\'

C. "65200 65100"

D. "65100 65250 65200"

Correct Answer: B

QUESTION 2

What is the result of configuring the following policy statement as a BGP import policy on the Alcatel-Lucent 7750 SR?

```
policy-statement "Policy-1"
    entry 10
        from
            protocol bgp
            prefix-list "List-1"
        exit
        action reject
        exit
    exit
    default-action accept
```

A. All BGP routes are rejected.

B. All BGP routes are accepted.

C. All routes matching prefix list "List-1" are rejected.

D. All BGP routes matching prefix list "List-1" are rejected.

Correct Answer: D

QUESTION 3

Which of the following statements regarding BGP route selection is TRUE?

A. Lower local preference is preferred over higher local preference.

![Pass2Lead](https://Pass2Lead.com)
B. Higher MED is preferred over lower MED.

C. Higher origin code is preferred over lower origin code.

D. Lower BGP router ID is preferred over higher BGP router ID.

Correct Answer: D

QUESTION 4

Which of the following prefix-lists is the most specific match for prefix 172.31.2.1/24?

A. Prefix 172.16.0.0/12 longer.

B. Prefix 172.31.0.0/22 longer.

C. Prefix 172.31.0.0/23 longer.

D. Prefix 172.31.0.0/24 exact.

Correct Answer: B

QUESTION 5

Which of the following statements regarding the Originator_ID attribute is TRUE?

A. The BGP router that originates an update sets the Originator_ID.

B. The Originator_IDis set to the ClusterJD of the advertising router reflector.

C. Both confederation and route reflector topologies use the Originator_ID.

D. A BGP router ignores an update that contains its own BGP router ID as Originator_ID.

Correct Answer: D

[Latest 4A0-102 Dumps](#)   [4A0-102 VCE Dumps](#)   [4A0-102 Exam Questions](#)