

4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When using an egress port scheduler, which scheduling loop priority are orphaned queues serviced on?

- A. 1st
- B. 8th
- C. 9th
- D. 17th

Correct Answer: A

QUESTION 2

Which of the following CANNOT be used as external marking bits?

- A. IP Precedence
- B. Dot1p
- C. Forwarding class
- D. EXP

Correct Answer: C

QUESTION 3

On the Nokia 7750 SR, how many queues per FC are available for multipoint traffic within a VPLS on service ingress?

- A. 64
- B. 8
- C. 3
- D. 16
- E. 1

Correct Answer: C

QUESTION 4

In the context of hierarchical scheduling, a scheduler is configured with a CIR weight of 0. Which of the following statements is TRUE?

- A. The scheduler will be allocated its "within CIR" bandwidth before all other children at the same level have received their "within CIR" bandwidth.
- B. The scheduler will be allocated its "within CIR" bandwidth after all other children at the same level have received their "within CIR" bandwidth.
- C. The scheduler will be allocated its "within CIR" bandwidth after all other children at all levels have received their "within CIR" bandwidth.
- D. The scheduler will not be allocated its "within CIR" bandwidth.

Correct Answer: D

QUESTION 5

Which following statements about the four-step QoS process (classification, queuing, scheduling, and marking/remarking) executed for every packet entering a Nokia 7750 SR is TRUE?

- A. The process happens only before the packet goes through the switching fabric.
- B. The process happens only before the packet goes onto the egress port.
- C. Marking/remarking the packets is for future classification.
- D. Marking/remarking the packets will occur right after classification of the packet.

Correct Answer: D

[4A0-107 PDF Dumps](#)

[4A0-107 VCE Dumps](#)

[4A0-107 Study Guide](#)