

4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


On the Nokia 7750 SR, how many queues per FC are available for multipoint traffic within a VPLS on service ingress?

- A. 64
- B. 8
- C. 3
- D. 16
- E. 1

Correct Answer: C

QUESTION 2

Packets arrive at the VPLS SAP on PE1 with DSCP marking of af11 and Dot1p of 2. According to the QoS policies applied at routers PE1, P, and PE2, what is the DSCP value of packets egressing router PE2? (All the SDPs are MPLS-encapsulated, and all interfaces are using their default trust states).



- A. af11
- B. af21
- C. af23

D. af31

Correct Answer: A

QUESTION 3

Which of the following statements about the default scheduler in the Nokia 7750 SR is TRUE?

- A. A queue will be serviced as expedited if all of the forwarding classes mapped to it are expedited, regardless of its configured type.
- B. A queue will be serviced as best-effort if all of the forwarding classes mapped to it are best-effort, regardless of its configured type.
- C. A queue will be serviced as expedited if at least one of the forwarding classes mapped to it is expedited, regardless of its configured type.
- D. A queue will be serviced as expedited if its type is configured as expedited, regardless of the forwarding classes mapped to it.

Correct Answer: A

QUESTION 4

Which of the following statements about CFHP policing hierarchy is FALSE?

- A. The root arbiter can be the parent of a tier 2 arbiter.
- B. A tier 1 arbiter can be the parent of a policer.
- C. A child policer can have a priority level from 0 to 10.
- D. Weight is used by a parent arbiter to allocate bandwidth among children of equal level

Correct Answer: C

QUESTION 5

Which of the following statements about the token buckets of a policer is TRUE?

- A. When a packet arrives, the PIR bucket depth is checked and the packet is discarded if this bucket is full.
- B. The CIR bucket of a policer is the reserved portion of its PIR bucket.
- C. The CIR bucket of a policer has two thresholds: CBS and HPO.
- D. Packets processed by the PIR bucket at an average rate above PIR will be forwarded as out-of-profile.

Correct Answer: A

[4A0-107 PDF Dumps](#)

[4A0-107 VCE Dumps](#)

[4A0-107 Practice Test](#)