

# 4A0-M05<sup>Q&As</sup>

Nokia Cloud Packet Core

## Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-m05.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements about 4G-5G RAN-level interworking solution is FALSE?

- A. It requires a direct interface between the two radio nodes serving the UE.
- B. One serving radio node acts as master node and the other as secondary node.
- C. Only one serving radio node can receive data plane traffic from the core network.
- D. One of the radio nodes serving the UE is the anchor point for control plane.

Correct Answer: A

---

**QUESTION 2**

Which of the following statements regarding CMM internal IP management (IIPM) is FALSE?

- A. IIPM manages reachability between CMM VNF components.
- B. IIPM monitors connectivity over two vNIC ports when two internal networks are used.
- C. With IIPM, broadcast messages are sent periodically between VMs.
- D. IIPM uses BFD to provide a fast switchover in case of an internal reachability failure.

Correct Answer: C

---

**QUESTION 3**

Which of the following network elements is implemented by the Nokia CPC?

- A. Policy and charging rules function (PCRF)
- B. Equipment Identity Registration (EIR)
- C. Application Function (AF)
- D. eNodeB

Correct Answer: A

---

**QUESTION 4**

Which of the following functions can be provided by an SPS managed element (ME)?

- A. Service Manager
- B. Customer Engagement

- C. Policy Control Enforcement Function
- D. Subscriber Profile Repository

Correct Answer: B

---

**QUESTION 5**

Which of the following statements about the data switch fabric (DSF) network in CMG is TRUE?

- A. It is a VNF external Layer 3 network
- B. It must be VirtIO based
- C. It carries signaling messages between MG-VMs and LB-VMs in LB mode
- D. It carries data plane traffic between MG-VMs and LB-VMs in LB-less mode

Correct Answer: C

[Latest 4A0-M05 Dumps](#)

[4A0-M05 PDF Dumps](#)

[4A0-M05 VCE Dumps](#)