

4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-m05.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements regarding the CMM OAM network is FALSE?

- A. It is used for CMM management.
- B. It is connected to NECC VMs.
- C. It is connected to CPPS VMs.
- D. It requires a customer provided subnet address.

Correct Answer: B

QUESTION 2

Which of the following logical interfaces is used between the CMG and the PDN?

- A. Gn
- B. SGi
- C. S5
- D. S1-U

Correct Answer: A

QUESTION 3

Which of the following statements about 5G deployment option 3 is FALSE?

- A. Core network may be EPC or next-generation core
- B. There is a data plane interface between eNB and EPC
- C. eNB has both control plane and data plane connections to the core
- D. There is an X2 interface between eNB and gNB

Correct Answer: B

QUESTION 4

Which of the following statements about the data switch fabric (DSF) network in CMG is TRUE?

- A. It is a VNF external Layer 3 network
- B. It must be VirtIO based

- C. It carries signaling messages between MG-VMs and LB-VMs in LB mode
- D. It carries data plane traffic between MG-VMs and LB-VMs in LB-less mode

Correct Answer: C

QUESTION 5

Which of the following is NOT a function of the CMM IP Director Service (IPDS)?

- A. Terminates external logical interfaces.
- B. Manages UE registration and authentication.
- C. Assigns new subscribers to internal CPPS and PAPS.
- D. Implements network load/overload control.

Correct Answer: C

[Latest 4A0-M05 Dumps](#)

[4A0-M05 Practice Test](#)

[4A0-M05 Braindumps](#)