

500-220^{Q&As}

Cisco Meraki Solutions Specialist

Pass Cisco 500-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/500-220.html>


100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1



Refer to the exhibit. What is an advantage of implementing inter-VLAN routing on an MX Security Appliance rather than performing inter-VLAN routing on an MS Series Switch?

- A. The MX appliance performs IDS/IPS for inter-VLAN traffic.
- B. The MX appliance performs AMP for inter-VLAN traffic.
- C. The MX appliance performs data encryption for inter-VLAN traffic.
- D. The MX appliance performs content filtering for inter-VLAN traffic.

Correct Answer: A

QUESTION 2

DRAG DROP

Drag and drop the descriptions from the left onto the corresponding MX operation mode on the right.

Select and Place:

- The MX appliance acts as a layer 2 bridge
- This mode is the default mode of operation
- DHCP services can be configured on the MX appliance
- VLANs cannot be configured
- This mode is generally also the default gateway for devices on the LAN
- This mode is not recommended at the network perimeter
- No address translation is provided
- Client traffic to the internet has the source IP rewritten to match the WAN IP of the appliance

Routed mode

Passthrough mode

Correct Answer:

Routed mode

- Client traffic to the internet has the source IP rewritten to match the WAN IP of the appliance
- VLANs cannot be configured
- This mode is the default mode of operation
- This mode is generally also the default gateway for devices on the LAN

Passthrough mode

- The MX appliance acts as a layer 2 bridge
- DHCP services can be configured on the MX appliance
- This mode is not recommended at the network perimeter
- No address translation is provided

QUESTION 3



Refer to the exhibit. During a Meraki AP deployment, the default SSID that the exhibit shows is broadcast. What causes this behavior?

- A. An AP does not have a wired connection to the network.
- B. An AP cannot connect to the default gateway.
- C. An AP has never connected to the Meraki Cloud Controller.
- D. An AP has Site Survey mode enabled.

Correct Answer: B

Reference: https://documentation.meraki.com/MR/Other_Topics/Troubleshooting_local_connection_issues_using_default_SSID_on_MR_Access_Points

QUESTION 4

License information for Home

License status	OK	
License expiration ⓘ	May 20, 2029 (3593 days from now)	
MX advanced Security	Enabled	
System Manager	Enabled (paid)	
	License limit	Current device count
MS220-8P	1	1
MV	2	0
MX64	1	1
Systems Manager Agent	100	0
Wireless AP	7	1
MV-SEN	10 free	0

[Add another license](#)

Refer to the exhibit. This Dashboard organization uses Co-Termination licensing model.

What happens when an additional seven APs are claimed on this network without adding licenses?

- A. All APs immediately stop functioning.
- B. All network devices stop functioning in 30 days.
- C. One AP Immediately stops functioning.
- D. All APs stop functioning in 30 days.

Correct Answer: B

QUESTION 5

Which two Systems Manager Live tools are available only for Apple Macs and Windows PCs and cannot be used on iOS or Android mobile devices? (Choose two.)

- A. OS updates
- B. Send notification
- C. Selective wipe
- D. Screenshot
- E. Remote Desktop

Correct Answer: CE

Reference: https://documentation.meraki.com/SM/Other_Topics/Systems_Manager_FAQ

[500-220 Practice Test](#)

[500-220 Study Guide](#)

[500-220 Braindumps](#)