

500-601 Q&As

Application Centric Infrastructure Support Representative

Pass Cisco 500-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/500-601.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which three statements about fitter and contract are true? (Choose three.)

- A. A contract can be consumed and provided by as many EPGs as are needed by the network design.
- B. A fitter can be used by multiple contracts.
- C. A fitter contains groups of IP subnet
- D. A contract can be consumed by a single EPG
- E. A contract can be provided by a single EPG
- F. A filter contains EtherType, IP protocol, TCP flags, and Layer 4 ports.

Correct Answer: ABF

QUESTION 2

Which two statements about when the ARP request/response is not set to flooding on an Cisco ACI Fabric are true? (Choose two.)

- A. Static endpoint entries can be configured under the Tenant Networking section of the Cisco ACI UI for silent hosts to communicate with each other.
- B. When the ARP originator and ARP target are known to the proxy, forwarding can no longer occur using the proxy because the source and destination are now known
- C. When an ARP target device responds, a response is sent to the proxy, which has an entry (or the ARP originator, so it is then forwarded to the leaf where ARP originator resides.
- D. When ARP response is known by the proxy, the ARP is forwarded from the leaf that received the ARP to the spine, and onto the leaf where the ARP target resides.
- E. The proxy age time has no limit If the target of the ARP has not sourced a frame for some lime, the entry remains indefinite because this i\$ the only way forwarding can work between silent hosts.

Correct Answer: CE

QUESTION 3

Which three states are distributed to each node in the fabric? (Choose three)

- A. fabric node vector
- B. iVXLAN vector
- C. appliance vector
- D. replica vector

E. diameter ID F. cluster vector

Correct Answer: CDF

QUESTION 4

Which command is used to successfully SSH into a Cisco ARC or switch CLI using a remote authentication server?

- A. apic#rad_check//username@192.168.1.21
- B. ssh apic#rad_check\\username@192.168.1.21
- C. ssh apic#ad_ch?k//username@192.168.1.21
- D. ssh apic@rad_check\\username@192.168.1.21

Correct Answer: C

QUESTION 5

Which two statements are true regarding ARP request/response on an ACI Fabric? (Choose two.)

- A. ARP requests come in on the elected/designated FD encapsulation VLAN under the BD.
- B. ARP request can be captured using icpdump" on spine switches.
- C. ARP traffic is handled by the broadcom ASIC if the two endpoints are in the same EPG and the same FD VLAN.
- D. ARP requests are sent to CPU only if they are for the Bridge Domain SVI IP address
- E. ELAM can be used to capture ARP request/response frames in the Leaf front panel Broadcom ASIC.

Correct Answer: DE

[Latest 500-601 Dumps](#)

[500-601 VCE Dumps](#)

[500-601 Exam Questions](#)