

5V0-23.20^{Q&As}

VMware vSphere with Tanzu Specialist

Pass VMware 5V0-23.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/5v0-23-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which value must be increased or decreased to horizontally scale a Tanzu Kubernetes cluster?

- A. Namespaces
- B. etcd instance
- C. Worker node count
- D. ReplicaSets

Correct Answer: C

QUESTION 2

Which command displays the storage limits that have been set together with the amount of resources consumed?

- A. kubectl get resourcequotas
- B. kubectl config get-resourcequotas limits
- C. kubectl list resourcequotas
- D. kubectl describe resourcequotas

Correct Answer: C

QUESTION 3

To which network are HA Proxy virtual server IP addresses issued when using the vSphere networking stack default configuration?

- A. vMotion
- B. Overlay
- C. Primary workload
- D. Management

Correct Answer: C

The HAProxy virtual IP range where external services and DevOps users connect. In this configuration, HAProxy is deployed with two virtual NICs (Default configuration), one connected to the management network, and a second one connected to the Primary Workload Network. You must plan for allocating Virtual IPs on a separate subnet from the Primary Workload Network.

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-1F885AAE-92FF41E6-BF04-0F0FD4173BD9.html>

QUESTION 4

Which external load balancer is supported in vSphere 7 U1 using the vSphere networking stack?

- A. Nginx
- B. Seesaw
- C. Loadmaster
- D. HAProxy

Correct Answer: D

When using vSphere with Tanzu with vDS networking, HAProxy provides load balancing for developers accessing the Tanzu Kubernetes control plane, and for Kubernetes Services of Type Load Balancer. Review the possible topologies that you can implement for the HAProxy load balancer. <https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vmware-with-tanzu/GUID-1F885AAE-92FF41E6-BF04-0F0FD4173BD9.html>

QUESTION 5

A user needs to identify the namespaces that may be accessed.

Which command will provide the desired output?

- A. `kubect1 get storageclasses`
- B. `kubect1 config use-context`
- C. `kubect1 config get-contexts`
- D. `kubect1 get contexts`

Correct Answer: A

[5V0-23.20 PDF Dumps](#)

[5V0-23.20 VCE Dumps](#)

[5V0-23.20 Exam Questions](#)