

# 5V0-42.21<sup>Q&As</sup>

VMware SD-WAN Design and Deploy Skills

**Pass VMware 5V0-42.21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/5v0-42-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Company a has recently acquired Company B, which has two remote office. Company A is using VMware hosted Cloud Gateways, and Company B is using a VMware SD-WAN with a Hub-Spoke topology. Which VMware Cloud VPN solution an administrator configure to establish connectivity between the offices of Company A and Company B?

- A. Site-to-Site VPN
- B. Branch to CASH
- C. Branch to Branch VPN
- D. Branch to Non VMware SU-WAN Site

Correct Answer: B

---

**QUESTION 2**

A customer has deployed VMware SD-WAN solution An administrator asked to imported additional security for traffic going to internet without investigating in new hardware solutions.

- A. Service chaining with DFW in NSX-V
- B. Service chaining with Zscaler Cloud Security Service
- C. Service chaining with DFW in NSX-1
- D. Service chaining with AWS Cloud Security

Correct Answer: D

---

**QUESTION 3**

Which role(s) must be enable under Gateway configuration page to allow a VMware SD-WAN Gateway to build IPsec tunnels to non-VM SD-WAN?

- A. Control Plane
- B. Control Plane + Data Plane + Partner Gateway
- C. Control Plane + Secure VPN Gateway
- D. Control Plane + Data Plane + Secure VPN Gateway

Correct Answer: B

---

**QUESTION 4**

During a VMware SD-WAN design session for a core business application, a customer expressed the

following requirements:

Allow business abstraction so that similar policies can be applied across different hardware types.

Eliminate the need for the operations team to know the type of physical connectivity or the WAN carrier.

Maintain SLA for real-time application.

Which design should be taken in terms of Link Steering?

- A. Select WAN Link, and then define the DSCP tagging
- B. Select Error Correct Before Steering with % definition
- C. Select Transport Group, and then select Preferred option.
- D. Deselect Error Correct before Steering Defaults.

Correct Answer: A

---

#### QUESTION 5

A customer is using VMware vSphere in their data center. An administrator is asked to deploy SD- WAN Edges for a Proof of Concept as soon as possible. Which deployment option is the most cost and time effective?

- A. Deploy a virtual appliance on ESXi
- B. Purchase bare metal Edge
- C. Deploy a virtual appliance in AWS
- D. Deploy a virtual appliance on KVM

Correct Answer: D

[Latest 5V0-42.21 Dumps](#)

[5V0-42.21 PDF Dumps](#)

[5V0-42.21 Braindumps](#)