



Interconnecting Cisco Networking Devices Part 1

Pass Cisco 640-822 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/640-822.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee


- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the graphic. Host A is communicating with the server. What will be the source MAC address of the frames received by Host A from the server?




- A. the MAC address of router interface e0
- B. the MAC address of router interface e1
- C. the MAC address of the server network interface
- D. the MAC address of host A

Correct Answer: A

QUESTION 2

Refer to the exhibit.



After configuring two interfaces on the HQ router, the network administrator notices an error message. What must be done to fix this error?

- A. The serial interface must be configured first.
- B. The serial interface must use the address 192.168.1.2.



- C. The subnet mask of the serial interface should be changed to 255.255.255.0.
- D. The subnet mask of the FastEthernet interface should be changed to 255.255.255.240.
- E. The address of the FastEthernet interface should be changed to 192.168.1.66.

Correct Answer: D

QUESTION 3

Refer to the exhibit.

```
Router# configure terminal
Router(config)# hostname Router1
Routerl(config)# enable secret sanfran
Routerl(config)# enable password cisco
Routerl(config)# line vty 0 4
Routerl(config-line)# password sanjose
Routerl(config-line)#
```

The network administrator made the entries that are shown and then saved the configuration. From a console connection, what password or password sequence is required for the administrator to access privileged mode on Router1?

A. cisco

B. sanfran

C. sanjose

- D. either cisco or sanfran
- E. either cisco or sanjose
- F. sanjose and sanfran

Correct Answer: B

QUESTION 4

During a router boot sequence, what is the basic function of the configuration register?

- A. holds packet buffers for the router
- B. controls how the router boots
- C. starts and maintains the router
- D. holds the router run-time configuration



E. verifies that all router components are operational

Correct Answer: B

QUESTION 5

How many simultaneous Telnet sessions does a Cisco router support by default?

A. 1
B. 2
C. 3
D. 4
E. 5
F. 6
Correct Answer: E

Latest 640-822 Dumps

640-822 PDF Dumps

640-822 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for <u>30 days</u>

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4lead, All Rights Reserved.