

642-731^{Q&As}

Conducting Cisco Unified Wireless Site Survey

Pass Cisco 642-731 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-731.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1


An engineer is installing a wireless network in an industrial area with extreme temperatures and a significant amount of dust. Which enclosure should be used to protect the APs?

- A. NEMA
- B. ACU
- C. WLSE
- D. ADU

Correct Answer: A

QUESTION 2

Refer to the exhibit.



After performing a Layer 1 survey using Cisco Spectrum Expert, what is the result indicated by the visual screen?

- A. Normal 802.11g activity
- B. Microwave oven interference
- C. Video camera interference

VCE & PDF Pass4Lead.com

https://www.pass4lead.com/642-731.html

2022 Latest pass4lead 642-731 PDF and VCE dumps Download

D. Bluetooth device interference

E. RF jammer

Correct Answer: C

QUESTION 3

An engineer is conducting a failover test with a Mesh deployment by disconnecting the network interface of a RAP. A MAP becomes stranded even though it has an acceptable RSSI value on the link to its neighbor. What are two reasons the MAP may become stranded? (Choose two.)

A. the MAP is 6 hops away

B. the MAP is 9 hops away

C. the SNR on the neighbor link is 5dB

D. the SNR on the neighbor link is 15dB

E. the throughput on the neighbor link is 18Mbps

F. the throughput on the neighbor link is 24Mbps

Correct Answer: BC

QUESTION 4

You have been asked to evaluate a new version 7.0 controller-based WLAN deployment. The customer wants to increase the number of indoor tags their network supports. How do you explain to the customer how wireless clients and RFID tags are licensed in the MSE?

- A. There is a 2:1 relationship between the number of clients and RFID tags that can be supported in the MSE.
- B. The number of clients and RFID tags are independent of each other and have separate license bases.
- C. There is a 3:1 relationship between the number of clients and RFID tags that can be supported in the MSE.
- D. The relationship between clients and RFID tags is balanced. So if you have more clients you have fewer RFID tags.
- E. RFID and wireless clients require separate dedicated MSE appliances.

Correct Answer: D

QUESTION 5

Which option allows the maximum 2.4-GHz channel usage for a survey and data deployment in the ETSI domain?

A. 1, 6, 11

B. 1, 5, 9, 13



https://www.pass4lead.com/642-731.html 2022 Latest pass4lead 642-731 PDF and VCE dumps Download

C. 1, 6, 9, 14

D. 1, 6, 11, 14

Correct Answer: B

Latest 642-731 Dumps

642-731 Study Guide

642-731 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.